Geophysical journal international subject index by volume 100–103

Aegean

3-D structure of the lithosphere in the Aegean region (Ligdas, C.N., Main, I.G., Adams, R.D.), **102**, 219

Africa

A back-projection method for imaging large-scale lateral variations of *Lg* coda *Q* with application to continental Africa (Xie, J., Mitchell, B.J.), **100**, 161
The Sabaloka ring complex revisited: palaeomagnetism and rockmagnetism (Soffel, H.C., Saradeth, S., Briden, J.C., Bachtadse, V., Rolf, C.), **102**, 411
Rheology of the lithosphere in the East African Rift System (Fadaie, K., Ranalli, G.), **102**, 445
Magnetic properties of some carbonatites from Tanzania, East Africa (Shive, P.N., Nyblade, A.A., Wittke, J.H.), **103**, 103

Aftershocks

Aftershocks of the 1988 January 22 Tennant Creek, Australia intraplate earthquakes: evidence for a complex thrut-fault geometry (Bowman, J.R., Gibson, G., Jones, T.), **100**, 89

Andes

Tectonic deformation of the Andes and the configuration of the subducted slab in central Peru: results from a microseismic experiment (Suárez, G., Gagnepain, J., Cisternas, A., Hatzfeld, D., Molnar, P., Ocola, L., Roecker, S.W., Viode, J.P.), **103**, 1

Anisotropic attenuation

Investigation for anisotropic attenuation in the Pacific (Butler, R., Cessaro, R.K.), **100**, 321

Anisotropic media

Synthetic waveforms and polarizations at the free surface of an anisotropic half-space (Tsvankin, I.D., Chesnokov, E.M.), **101**, 497
Wave propagation in anisotropic linear viscoelastic media: theory and simulated wavefields (Carcione, J.M.), **101**, 739

Anisotropy

Attenuation of elastic waves in a cracked solid (Xu, S., King, M.S.), **101**, 169
Seismological evidence for a decoupled lithospheric segment in south Indian shield (Ramesh, D.S., Rai, S.S., Srinagesh, D., Gaur, V.K.), **102**, 113
Simple formulae for path and amplitude anomalies of anisotropic surface waves (Mochizuki, E.), **102**, 263
The elastodynamic Green's tensor in an anisotropic half-space (Ben-Menahem, A., Sena, A.G.), **102**, 421
Seismic properties of rocks with distributions of small cracks (Peacock, S., Hudson, J.A.), **102**, 471
Computation of complete waveforms in general anisotropic media—results from an explosion source in an anisotropic medium (Mandal, B., Toksöz, M.N.), **103**, 33
Resolution of ferrimagnetic and paramagnetic anisotropies in rocks, using combined low-field and high-field measurements (Hrouda, F., Jelínek,V.), **103**, 75
Propagation invariants, reflection and transmission in anisotropic, laterally heterogeneous media (Kennett, B.L.N., Koketsu, K., Haines, A.J.), **103**, 95
Quasi-shear wave coupling in weakly anisotropic 3-D media (Coates, R.T., Chapman, C.H.), **103**, 301
The response of a realistic earth to ocean tide loading (Pagiatakis, S.D.), **103**, 541
The measurement of magnetic fabric of rocks using an astatic magnetometer (Shaoying, He, Shiwei, Sun, Tongchun, Xu), **103**, 569

APW (apparent polar wander)

A paiaeomagnetic study of the Basal Gneiss Region and Jotun Nappe Complex, Central–Southern Scandinavian Caledonides (Piper, J.D.A., Poppleton, T.J.), **101**, 591
Comments on 'A weighted least-squares fit of the Australian apparent polar wander path for the last100Myr' by R. J. Musgrave (Idnurm, M.), **102**, 191
$^{40}Ar/^{39}Ar$ dating of a Late Proterozoic palaeomagnetic pole for the Armorican Massif (France) (Ruffet, G., Perroud, H., Féraud, G.), **102**, 397
The Sabaloka ring complex revisited: palaeomagnetism and rockmagnetism (Soffel, H.C., Saradeth, S., Briden, J.C., Bachtadse, V., Rolf, C.), **102**, 411
Palaeomagnetism of the Kvamshesten and Hornelen Old Red Sandstone Basins
western Norway (Smethurst, M.A.), **102**, 585
On the palaeogeography of Baltica during the Palaeozoic: new palaeomagnetic data from the Scandinavian Caledonides (Torsvik, T.H., Olesen, O., Ryan, P.D., Trench, A.), **103**, 261

Archaeomagnetism

Magnetic refraction studied on two experimental kilns (Soffel, H.C., Schurr, K.), **102**, 551
A method for correcting geographically separated remanence directions for the purpose of archaeomagnetic dating (Noel, M., Batt, C.M.), **102**, 753

Asthenospher

Asthenospheric viscosity and stress diffusion: a mechanism to explain correlated earthquakes and surface deformations in NE Japan (Rydelek, P.A., Sacks, I.S.), **100**, 39

Attenuation

Guided wave attenuation in laterally varying media (Kennett, B.L.N.), **100**, 415
3-D upper mantle shear velocity and attenuation from fundamental mode free oscillation data (Roult, G., Romanowicz, B., Montagner, J.P.), **101**, 61
Attenuation of elastic waves in a cracked solid (Xu, S., King, M.S.), **101**, 169
Wave propagation in anisotropic linear viscoelastic media: theory and simulated wavefields (Carcione, J.M.), **101**, 739
Attenuation of multiphase surface waves in the Basin and Range province part I: *Lg* and *Lg* coda (Xie, J., Mitchell, B.J.), **102**, 121

A modified energy flux model for lithospheric scattering of teleseismic body waves (Korn, M.), **102**, 165
Seismic properties of rocks with distributions of small cracks (Peacock, S., Hudson, J.A.), **102**, 471
Attenuation due to second-order scattering in material containing cracks (Hudson, J.A.), **102**, 485
Seismic attenuation in Iberia using the coda-*Q* method (Payo, G., Badal, J., Canas, J.A., Corchete, V., Pujades, L., Serön, F.J.), **103**, 135
Time- and frequency-dependent polarization analysis: anomalous surface wave observations in Iberia (Paulssen, H., Levshin, A.L., Lander, A.V., Snieder, R.), **103**, 483
Seismic attenuation in the continental crust SW of England (Scheirer, D.S., Hobbs, R.W.), **103**, 533

Australia

An investigation of the upper mantle beneath NW Australia using a hybrid seismograph array (Bowman, J.R., Kennett, B.L.N.), **101**, 411
Comments on 'A weighted least-squares fit of the Australian apparent polar wander path for the last100Myr' by R. J. Musgrave (Idnurm, M.), **102**, 191

Body waves

Evidence of a laterally variable lower mantle structure from *P*- and *S*-waves (Weber, M., Davis, J.P.), **102**, 231
The density and shear velocity contrast at the inner core boundary (Shearer, P., Masters, G.), **102**, 491

Book review

Book review (Howarth, R.J.), **101**, 493
Book review (Kostrov, B.V., Das, S.), **102**, 267
Book review (Clube, S.V.M.), **102**, 268
Book review (Olliver, J.G.), **102**, 270
Book review (Main, I.G.) **102**, 757
Book review (P.A. Cross), **103**, 780
Book review (Efford, N.D.), **103**, 782, **101**, 767
Book review (R.D. Adams), **103**, 769
Book review (P.A. Cross), **103**, 781
Book review (Taylor Smith, D.), **103**, 784

Born approximation

On the equivalence of two methods for computing partial derivatives of seismic waveforms (Geller, R.J, Hara, T., Tsuboi, S.), **100**, 155
Ray perturbation theory and the Born approximation (Coates, R.T., Chapman, C.H.), **100**, 379

Canada

Canadian Cordilleran displacement: palaeomagnetic results from the Early Jurassic Hazelton Group, Terrane I, British Columbia, Canada (Vandall, T.A., Palmer, H.C.), **103**, 609

Caribbean

Plate dynamics: Caribbean map corrections and hotspot push (Harper, J.F.), **100**, 423

China

3-D velocity images beneath the Chinese continent and adjacent regions (Fu-Tian, Liu, Hua, Wu, Jian-hua, Liu, Ge, Hu, Qiang, Li, Ke-xin, Qu), **101**, 379

Cluster analysis

Single-link cluster analysis as a method to evaluate spatial and temporal properties of earthquake catalogues (Frohlich, C., Davis, D.), **100**, 19

Coda-*Q*

Coda-*Q* distribution in the Iberian Peninsula (Pujades, L.G., Canas, J.A., Egozcue, J.J., Puigví, M.A., Gallart, J., Lana, X., Pous, J., Casas, A.), **100**, 285

Continental deformation

The strain pattern in the western Hellenic arc deduced from a microearthquake survey (Hatzfeld, D., Pedotti, G., Hatzidimitriou, P., Makropoulos, K.), **101**, 181

Continental margins

The ocean–continent boundary off the western continental margin of Iberia—I. Crustal structure at 40°30'N (Whitmarsh, R.B., Miles, P.R., Mauffret, A.), **103**, 509

Convection

The thermal structure of mantle plumes: axisymmetric or triple-junction? (Houseman, G.A.), **102**, 15

Core–mantle boundary

Deformation of internal boundaries in a viscoelastic earth and topographic coupling between the mantle and core (Wu, P.), **101**, 213
Core–mantle boundary shape: constraints inferred from the pressure torque acting between the core and the mantle (Jault, D., Le Mouël, J L.), **101**, 233
A steady velocity field at the top of the Earth's core in the frozen-flux approximation—errata and further comments (Whaler, K.A.), **102**, 507

Cracked media

Overall elastic properties of isotropic materials with arbitrary distribution of circular cracks (Hudson, J.A.), **102**, 465
Seismic properties of rocks with distributions of small cracks (Peacock, S., Hudson, J.A.), **102**, 471

Cracks

Attenuation of elastic waves in a cracked solid (Xu, S., King, M.S.), **101**, 169
Seismic properties of rocks with distributions of small cracks (Peacock, S., Hudson, J.A.), **102**, 471
Attenuation due to second-order scattering in material containing cracks (Hudson, J.A.), **102**, 485

Crustal deformation

Laser holographic measurements of tidal deformation of a tunnel (Takemoto, S.), **100**, 101
Crustal strain in Switzerland 1870–1970 (Reilly, W.I., Gubler, E.), **103**, 251
Application of an outlier detecting method for identifying changes in the underground water level caused by crustal movements (Asteriadis, G., Zioutas, G.), **103**, 415

Crustal structure

Crustal and upper mantle structure in the Ryukyu Island Arc deduced from deep seismic sounding (Iwasaki, T., Hirata, N., Kanazawa, T., Melles, J., Suyehiro, K., Urabe, T., Müller, L., Makris, J., Shimamura, H.), **102**, 631
Crust and upper mantle structure along the DSS Baltic profile in SE Finland (Luosto, U., Tiira, T., Korhonen, H., Azbel, I., Burmin, V., Buyanov, A., Kosminskaya, I., Ionkis, V., Sharov, N.), **101**, 89
The effect of 3-D structure on *Lg* propagation patterns (Bostock, M.G., Kennett, B.L.N.), **101**, 355
3-D velocity images beneath the Chinese continent and adjacent regions (Fu-Tian, Liu, Hua, Wu, Jian-hua, Liu, Ge, Hu, Qiang, Li, Ke-xin, Qu), **101**, 379
Comparison of crustal structure along DSS profiles in SE Fennoscandia (Korhonen, H., Kosminskaya, I.P., Azbel, I., Sharov, N., Zagorodny, V., Luosto, U.), **103**, 157
The ocean–continent boundary off the western continental margin of Iberia—I. Crustal structure at 40°30'N (Whitmarsh, R.B., Miles, P.R., Mauffret, A.), **103**, 509
Deep seismic sounding studies in the north Cambay and Sanchor basins, India (Kaila, K.L., Tewari, H.C., Krishna, V.G., Dixit, M.M., Sarkar, D., Reddy, M.S.), **103**, 621

Deep seismic reflection

Comparison of crustal structure along DSS profiles in SE Fennoscandia (Korhonen, H., Kosminskaya, I.P., Azbel, I., Sharov, N., Zagorodny, V., Luosto, U.), **103**, 157
Seismic attenuation in the continental crust SW of England (Scheirer, D.S., Hobbs, R.W.), **103**, 533
Deep seismic sounding studies in the north Cambay and Sanchor basins, India (Kaila, K.L., Tewari, H.C., Krishna, V.G., Dixit, M.M., Sarkar, D., Reddy, M.S.), **103**, 621

Deformation

Deformation of internal boundaries in a viscoelastic earth and topographic coupling between the mantle and core (Wu, P.), **101**, 213
Finite element deformation of an elastic, non-uniform medium produced by a dilating or pressurized magma chamber (Quareni, F.), **101**, 243
Tectonic deformation of the Andes and the configuration of the subducted slab in central Peru: results from a microseismic experiment (Suárez, G., Gagnepain, J., Cisternas, A., Hatzfeld, D., Molnar, P., Ocola, L., Roecker, S.W., Viode, J.P.), **103**, 1
Palaeomagnetic study of eastern Tibet—deformation of the Three Rivers region (Otofuji, Y., Inoue, Y., Funahara, S., Murata, F., Zheng, X.), **103**, 85
Subsurface deformations in a layered elastic half-space (Roth, F.), **103**, 147
Axi-symmetric deformation of a thermo-poro-elastic half-space: inflation of a magma chamber (Bonafede, M.), **103**, 289
The 1960 Chile earthquake: inversion for slip distribution from surface deformation (Barrientos, S.E., Ward, S.N.), **103**, 589

Diapir

Mud diapirism within Indus fan sediments: Murray Ridge, Gulf of Oman (Collier, J.S., White, R.S.), **101**, 345

Diffraction

Theory of edge diffraction in terms of dynamic ray tracing (Bakker P.M.), **102**, 177
The effect on teleseismic *P* of the zone of damage created by an explosion (Douglas, A., Hudson, J.A.), **103**, 111
Corrections for critical rays in 2-D seismic modelling (Thomson, C.J.), **103**, 171

Dislocation

A model of interseismic fault slip in the presence of asperities (Dragoni, M.), **101**, 147
The response of two half spaces to point dislocations at the material interface (Ben-Zion, Y.), **101**, 507
Subsurface deformations in a layered elastic half-space (Roth, F.), **103**, 147

Earth model

On the nutations of a more realistic earth model (Dehant, V.), **100**, 477

Earthquake dynamics

Quasi-static modelling of stress histories during the earthquake cycle: precursory seismic and aseismic stress release (Main, I.G.), **102**, 195
A norm minimization criterion for the inversion of earthquake ground motion (Mendez, A.J., Olson, A.H., Anderson, J.G.), **102**, 287

Earthquake prediction

Increasing seismicity as an earthquake precursor in Israel (Shapira, A.), **101**, 203
Application of an outlier detecting method for identifying changes in the underground water level caused by crustal movements (Asteriadis, G., Zioutas, G.), **103**, 415

Earthquake seismology

S–P conversion from the transition zone beneath Tonga and the nature of the 670 km discontinuity (Richards, M.A., Wicks, C.W), **101**, 1

Earthquake source mechanisms

On the initiation of unidirectional slip (Johnson, E.), **101**, 125
Book review (Kostrov, B.V., Das, S.), **102**, 267
Earthquake mechanisms in the Hellenic Trench near Crete (Taymaz, T., Jackson, J., Westaway, R.), **102**, 695

Earthquakes

Single-link cluster analysis as a method to evaluate spatial and temporal properties of earthquake catalogues (Frohlich, C., Davis, D.), **100**, 19
Asthenospheric viscosity and stress diffusion: a mechanism to explain correlated earthquakes and surface deformations in NE Japan (Rydelek, P.A., Sacks, I.S.), **100**, 39
Moment tensor inversion of small earthquakes in southwestern Germany for the fault plane solution (Ebel, J.E., Bonjer, K.P.), **101**, 133
Seismicity and associated strain of central Greece between 1890 and 1988 (Ambraseys, N.N., Jackson, J.A.), **101**, 663
Seismicity and present-day tectonics of the Svalbard region (Mitchell, B.J., Bungum, H., Chan, W.W., Mitchell, P.B.), **102**, 139
Quasi-static modelling of stress histories during the earthquake cycle: precursory seismic and aseismic stress release (Main, I.G.), **102**, 195
Mexico 1985: the case for gravity waves (Lomnitz, C.), **102**, 569
Random stress and earthquake statistics: spatial dependence (Kagan, Y.Y.), **102**, 573
The 1960 Chile earthquake: inversion for slip distribution from surface deformation (Barrientos, S.E., Ward, S.N.), **103**, 589

Earth's core

Elastic boundary conditions in long-period core oscillations (Smylie, D.E, Szeto, A.M.K., Sato, K.), **100**, 183
Toroidal fluid motion at the top of the Earth's core (Lloyd, D., Gubbins, D.), **100**, 455
Core–mantle boundary shape: constraints inferred from the pressure torque acting between the core and the mantle (Jault, D., Le Mouël, J L.), **101**, 233
Correction and update to "The earth's C21 and S21 gravity coefficients and the rotation of the core" (Wahr, J.), **101**, 709
The density and shear velocity contrast at the inner core boundary (Shearer, P., Masters, G.), **102**, 491
A steady velocity field at the top of the Earth's core in the frozen-flux approximation—errata and further comments (Whaler, K.A.), **102**, 507
The crystal structure of iron in the Earth's inner core (Sayers, C.M.), **103**, 285
Structure of the inner core inferred from observations of seismic core modes (Suda, N., Fukao, Y.), **103**, 403
Accounting for crustal magnetization in models of the core magnetic field (Jackson, A.), **103**, 657
Core dynamics: the two-potential description and a new variational principle (Wu, W.J., Rochester, M.G.), **103**, 697

Earth's crust

Seismic attenuation in the continental crust SW of England (Scheirer, D.S., Hobbs, R.W.), **103**, 533

Earth's mantle

Long-wavelength *S*-wave velocity structure throughout the mantle (Tanimoto, T.), **100**, 327
An investigation of the upper mantle beneath NW Australia using a hybrid seismograph array (Bowman, J.R., Kennett, B.L.N.), **101**, 411
On the electrical conductivity of the mid-mantle: II. Delineation of heterogeneity by application of extremal inverse solutions (Schultz, A., Larsen, J.), **101**, 565
Stochastic analysis of global traveltime data: mantle heterogeneity and random errors in the ISC data (Gudmundsson, O., Davies, J.H., Clayton, R.W.), **102**, 25
Evidence of a laterally variable lower mantle structure from *P*- and *S*-waves (Weber, M., Davis, J.P.), **102**, 231
A new constraint on the composition of the topmost continental mantle—anomalously different depth increases of *P* and *S* velocity (Gajewski, D., Stangl, R., Fuchs, K., Sandmeier, K.J.), **103**, 497

Earth's rotation

Core–mantle boundary shape: constraints inferred from the pressure torque acting between the core and the mantle (Jault, D., Le Mouël, J L.), **101**, 233
Experiments in tidal mass conservation (Dickman, S.R.), **102**, 257
The fortnightly and monthly zonal tides in the Earth's rotation from 1962 to 1988 (Hefty, J., Capitaine, N.), **103**, 219

Edge waves

Theory of edge diffraction in terms of dynamic ray tracing (Bakker, P.M.), **102**, 177

Elastic boundary conditions

Elastic boundary conditions in long-period core oscillations (Smylie, D.E, Szeto, A.M.K., Sato, K.), **100**, 183

Elastic wave theory

Propagation of elastic waves in a cylindrical bore in a liquid-saturated porous solid (Sharma, M.D., Gogna, M.L.), **103**, 47

Electrical conductivity

Geomagnetic induction in the Tasman Sea and electrical conductivity structure beneath the Tasman Seafloor (Ferguson, I.J., Lilley, F.E.M., Filloux, J.H.), **102**, 299
Standard electrical conductivity of isotropic, homogeneous olivine in the temperature range 1200° – 1500°C, (Shankland, T.J., Duba, A.G.), **103**, 25
A test of a short-baseline sea-floor transient electromagnetic system (Cheesman, S.J., Edwards, R.N., Law, L.K.), **103**, 431

Electromagnetic induction

Electromagnetic induction in a spherical earth with non-uniform oceans and continents in electric contact with the underlying medium—I. Theory, method and example (Fainberg, E.B., Kuvshinov, A.V., Singer, B.Sh.), **102**, 273
Electromagnetic induction in a spherical earth with non-uniform oceans and continents in electric contact with the underlying medium—II. Bimodal global geomagnetic sounding of the lithosphere (Fainberg, E.B., Kuvshinov, A.V., Singer, B.Sh.), **102**, 283
Geomagnetic induction in the Tasman Sea and electrical conductivity structure beneath the Tasman Seafloor (Ferguson, I.J., Lilley, F.E.M., Filloux, J.H.), **102**, 299

Electromagnetic modelling

Electromagnetic induction in a spherical earth with non-uniform oceans and continents in electric contact with the underlying medium—I. Theory, method and example (Fainberg, E.B., Kuvshinov, A.V., Singer, B.Sh.), **102**, 273

Electromagnetic surveys

A test of a short-baseline sea-floor transient electromagnetic system (Cheesman, S.J., Edwards, R.N., Law, L.K.), **103**, 431

Epicentre location

Teleseismic epicentre locations from arrival times at regional networks (Ruud, B.O.), **100**, 515

Erosion

Cascade model for fluvial geomorphology (Newman, W.I., Turcotte, D.L.), **100**, 433

Europe

Upper mantle structure under western Europe from fundamental and higher mode surface waves using the NARS array (Dost, B.), **100**, 133
Holocene glacial rebound and sea-level change in NW Europe (Lambeck, K., Johnston, P., Nakada, M.), **103**, 451

Explosion seismology

A seismic investigation of the Kenya Rift Valley (Henry, W.J., Mechie, J., Maguire, P.K.H., Khan, M.A., Prodehl, C., Keller, G.R., Patel, J.), **100**, 109

The effect on teleseismic *P* of the zone of damage created by an explosion (Douglas, A., Hudson, J.A.), **103**, 111

Fast Fourier transforms

The use of FFT techniques in physical geodesy (Schwarz, K.P., Sideris, M.G., Forsberg, R.), **100**, 485

Fault motions

Earthquake mechanisms in the Hellenic Trench near Crete (Taymaz, T., Jackson, J., Westaway, R.), **102**, 695

Fault plane solutions

Moment tensor inversion of small earthquakes in southwestern Germany for the fault plane solution (Ebel, J.E., Bonjer, K.P.), **101**, 133

Fault slip

On the initiation of unidirectional slip (Johnson, E.), **101**, 125
A model of interseismic fault slip in the presence of asperities (Dragoni, M.), **101**, 147
Palaeomagnetic evidence for substantial rotation of the Almacık flake within the North Anatolian fault zone, NW Turkey (Sarıbudak, M., Sanver, M., Sengör, A.M.C., Görür, N.), **102**, 563
Inversion of field data in fault tectonics to obtain the regional stress—III. A new rapid direct inversion method by analytical means (Angelier, J.), **103**, 363

Fault tectonics

Inversion of field data in fault tectonics to obtain the regional stress—III. A new rapid direct inversion method by analytical means (Angelier, J.), **103**, 363

Filtering

Controlled direction reception filtering of *P*- and *S*-waves in τ–p space (Greenhalgh, S.A., Mason, I.M., Lucas, E., Pant, D., Eames, R.T.), **100**, 221

Finland

Crust and upper mantle structure along the DSS Baltic profile in SE Finland (Luosto, U., Tiira, T., Korhonen, H., Azbel, I., Burmin, V., Buyanov, A., Kosminskaya, I., Ionkis, V., Sharov, N.), **101**, 89

Fluid flow

Axi-symmetric deformation of a thermo-poro-elastic half-space: inflation of a magma chamber (Bonafede, M.), **103**, 289

Focal depth

Inversion of source parameters for subcrustal earthquakes in the Hellenic Arc (Beißer, M., Wyss, M., Kind, R.), **103**, 439

Formation temperatures

Formation temperatures determined from stochastic inversion of borehole observations (Nielsen, S.B., Balling, N., Christiansen, H.S.), **101**, 581

Fracturing

Attenuation of elastic waves in a cracked solid (Xu, S., King, M.S.), **101**, 169

France

Magnetic field and susceptibility logging in GPF3 borehole at Couy (France) between 0 and 3500m (Tabbagh, A., Pozzi, J.P., Alvarez, F., Pocachard, J., Martin, J.P., Pagès, G., Gable, R., Lebert, F., Hutin, R.), **101**, 81

Free oscillations

Summation of the Born series for the normal modes of the Earth (Tromp, D., Dahlen, F.A.), **100**, 527
3-D upper mantle shear velocity and attenuation from fundamental mode free oscillation data (Roult, G., Romanowicz, B., Montagner, J.P.), **101**, 61
The subspace projection method for constructing coupled-mode synthetic seismograms (Park, J.), **101**, 111
Comments on "Thomson–Haskell matrix method for free spheroidal elastic oscillations" by Z. Martinec (Mochizuki, E.), **101**, 487
Simple formulae for path and amplitude anomalies of anisotropic surface waves (Mochizuki, E.), **102**, 263
Recovery of aspherical earth structure from observations of normal mode amplitudes (Pollitz, F.F.), **102**, 313
Correction of normal mode frequencies and amplitudes for the effect of spheroidal–toroidal coupling (Pollitz, F.F.), **102**, 341
The density and shear velocity contrast at the inner core boundary (Shearer, P., Masters, G.), **102**, 491
Structure of the inner core inferred from observations of seismic core modes (Suda, N., Fukao, Y.), **103**, 403
Free oscillations of a spherical anelastic earth (Tromp, J., Dahlen, F.A.), **103**, 707

Gaussian beam method

Subduction zones—their influence on traveltimes and amplitudes of *P*-waves (Weber, M.), **101**, 529

Geodesy

The use of FFT techniques in physical geodesy (Schwarz, K.P., Sideris, M.G., Forsberg, R.), **100**, 485
Book review (Olliver, J.G.) **102**, 270

Geomagnetic field

Secondary magnetizations cast doubt on exceptional palaeointensity values from the Lousetown Creek Lavas of Nevada, USA (Roberts, N., Shaw, J.), **101**, 251
Electromagnetic induction in a spherical earth with non-uniform oceans and continents in electric contact with the underlying medium—II. Bimodal global geomagnetic sounding of the lithosphere (Fainberg, E.B., Kuvshinov, A.V., Singer, B.Sh.), **102**, 283
Aborted reversal of the palaeomagnetic field in the Brunhes Normal Chron in east-central California (Liddicoat, J.C.), **102**, 747

Geomagnetic field reversals

Similarity of new palaeomagnetic data from the Santa Rosa Mountains with those from Steens Mountain gives wide regional evidence for a two-stage process of geomagnetic field reversal (Roberts, N., Fuller, M.), **100**, 521

Geomagnetic reversals

Secondary magnetizations cast doubt on exceptional palaeointensity values from the Lousetown Creek Lavas of Nevada, USA (Roberts, N., Shaw, J.), **101**, 251
Aborted reversal of the palaeomagnetic field in the Brunhes Normal Chron in east–central California (Liddicoat, J.C.), **102**, 747

Geomagnetic secular variation

Geomagnetic secular variations 0–2700 yr BP recorded by lake sediments from Waginger See (southeastern Bavaria) (Werner, J., Michler, G., Schult, A.), **101**, 479
A steady velocity field at the top of the Earth's core in the frozen-flux approximation—errata and further comments (Whaler, K.A.), **102**, 507

Geomagnetic variation

Geomagnetic secular variations 0–2700 yr BP recorded by lake sediments from Waginger See (southeastern Bavaria) (Werner, J., Michler, G., Schult, A.), **101**, 479

Geomagnetism

Analysis of geomagnetic directional data (Proctor, M., Gubbins, D.), **100**, 69
Toroidal fluid motion at the top of the Earth's core (Lloyd, D., Gubbins, D.), **100**, 455
Studies of worldwide secular trends in the solar daily geomagnetic variation (Schlapp, D.M., Sellek, R., Butcher, E.C.), **100**, 469
Deformation of internal boundaries in a viscoelastic earth and topographic coupling between the mantle and core (Wu, P.), **101**, 213
Book review (Olliver, J.G.) **102**, 270
A method for correcting geographically separated remanence directions for the purpose of archaeomagnetic dating (Noel, M., Batt, C.M.), **102**, 753
Geomagnetic lunar variations due to the ocean dynamo measured at European observatories (Rosser, W.G.V., Schlapp, D.M.), **103**, 257

Geomorphology

Cascade model for fluvial geomorphology (Newman, W.I., Turcotte, D.L.), **100**, 433

Geothermal evaluation

A deep geoelectric survey of the Carnmenellis granite (Beamish, D.), **102**, 679
Stochastic inversion of thermal data in a sedimentary basin: resolving spatial variability (Willett, S.D.), **103**, 321
A new approach to the borehole temperature relaxation method (Wilhelm, H.), **103**, 469

Germany

Moment tensor inversion of small earthquakes in southwestern Germany for the fault plane solution (Ebel, J.E., Bonjer, K.P.), **101**, 133

Glacial rebound

Deformation of internal boundaries in a viscoelastic earth and topographic coupling between the mantle and core (Wu, P.), **101**, 213
Holocene glacial rebound and sea-level change in NW Europe (Lambeck, K., Johnston, P., Nakada, M.), **103**, 451

Goethite

Magnetic properties of natural goethite—III. Magnetic behaviour and properties of minerals originating from goethite dehydration during thermal demagnetization (Dekkers, M.J.), **103**, 233

Gravitational constant

Search for non-Newtonian gravitation—a gravimetric experiment in a hydroelectric lake (Müller, G., Zürn, W., Lindner, K., Rösch, N.), **101**, 329

Gravity

The development of an isostatic gravitational model to degree 360 and its use in global gravity modelling (Pavlis, N.K., Rapp, R.H.), **100**, 369
Search for non-Newtonian gravitation—a gravimetric experiment in a hydroelectric lake (Müller, G., Zürn, W., Lindner, K., Rösch, N.), **101**, 329
Correction and update to "The earth's C21 and S21 gravity coefficients and the rotation of the core" (Wahr, J.), **101**, 709
Gravity field aspects from a topological invariant (Bocchio, F.), **102**, 527
Mexico 1985: the case for gravity waves (Lomnitz, C.), **102**, 569
The inverse Vening Meinesz problem in isostasy (Moritz, H.), **102**, 733

Gravity data

Isostatic response of the lithosphere beneath the Mozambique Ridge (SW Indian Ocean) and geodynamic implications (Maia, M., Diament, M., Recq, M.), **100**, 337

Gravity field

Correction and update to 'The earth's C21 and S21 gravity coefficients and the rotation of the core' (Wahr, J.), **101**, 709
Gravity field aspects from a topological invariant (Bocchio, F.), **102**, 527

Gravity meters

Laboratory method of detecting and measuring circular errors in LaCoste and Romberg model-D gravity meters (Liard, J.), **103**, 685

Gravity stations

Fractal characterization of the South Australian gravity station network (Korvin, G., Boyd, D.M., O'Dowd, R.), **100**, 535

Greece

The strain pattern in the western Hellenic arc deduced from a microearthquake survey (Hatzfeld, D., Pedotti, G., Hatzidimitriou, P., Makropoulos, K.), **101**, 181
Seismicity and associated strain of central Greece between 1890 and 1988 (Ambraseys, N.N., Jackson, J.A.), **101**, 663
Application of an outlier detecting method for identifying changes in the underground water level caused by crustal movements (Asteriadis, G., Zioutas, G.), **103**, 415

Green's functions

Loading tides on a stratified viscoelastic self-gravitating half-space (Mao, W.J.), **102**, 537

Guided wave propagation

Guided wave attenuation in laterally varying media (Kennett, B.L.N.), **100**, 415

Heat flow

Heat flow maintained in ocean basins of great age: investigations in the north-equatorial West Pacific (Lister, C.R.B., Sclater, J.G., Davis, E.E., Villinger, H., Nagihara, S.), **102**, 603
A new approach to the borehole temperature relaxation method (Wilhelm, H.), **103**, 469

Heat transfer

Analysis of conductive and convective heat transfer in a sedimentary basin, demonstrated for the Rheingraben (Clauser, C., Villinger, H.), **100**, 393

Iberian Peninsula

Processing and inversion of long-period surface-wave data collected in the Iberian Peninsula (Badal, J., Corchete, V., Payo, G., Canas, J.A., Pujades, L., Serón, F.J.), **100**, 193
Coda-Q distribution in the Iberian Peninsula (Pujades, L.G., Canas, J.A., Egozcue, J.J., Puigví, M.A., Gallart, J., Lana, X., Pous, J., Casas, A.), **100**, 285

Iceland

A study of the palaeomagnetism of subglacial basalts, SW Iceland: a comparison with oceanic crust (Helgason, J., Van Wagoner, N.A., Ryall, P.J.C.), **103**, 13

Indonesia

The palaeomagnetism of Late Permian–Early Triassic and Late Triassic deposits on Timor: an Australian origin? (Wensink, H., Hartosukohardjo, S.), **101**, 315

Intraplate earthquakes

Aftershocks of the 1988 January 22 Tennant Creek, Australia intraplate earthquakes: evidence for a complex thrust-fault geometry (Bowman, J.R., Gibson, G., Jones, T.), **100**, 89

Inverse problem

Boundary value ray tracing in a heterogeneous medium: a simple and versatile algorithm (Sambridge, M.S., Kennett, B.L.N.), **101**, 157
Pre-selection of seismic rays as a possible method to improve the inverse problem solution (Tinti, S., Ugolini, S.), **102**, 45
A norm minimization criterion for the inversion of earthquake ground motion (Mendez, A.J., Olson, A.H., Anderson, J.G.), **102**, 287
On the existence of degenerate trade-off curves in Backus–Gilbert theory (Huestis, S.P.), **102**, 503
The inverse Vening Meinesz problem in isostasy (Moritz, H.), **102**, 733
Solving large linear inverse problems by projection (Nolet, G., Snieder, R.), **103**, 565

Inverse theory

On the existence of degenerate trade-off curves in Backus–Gilbert theory (Huestis, S.P.), **102**, 503

Inversion

Moment tensor inversion of small earthquakes in southwestern Germany for the fault plane solution (Ebel, J.E., Bonjer, K.P.), **101**, 133
A perturbative analysis of non-linear inversion (Sneider, R.), **101**, 545
On the electrical conductivity of the mid-mantle: II. Delineation of heterogeneity by application of extremal inverse solutions (Schultz, A., Larsen, J.), **101**, 565
Formation temperatures determined from stochastic inversion of borehole observations (Nielsen, S.B., Balling, N., Christiansen, H.S.), **101**, 581
Modelling curved surface wave paths: membrane surface wave synthetics (Tanimoto, T.), **102**, 89
Attenuation of multiphase surface waves in the Basin and Range province, part I: *Lg* and *Lg* coda (Xie, J., Mitchell, B.J.), **102**, 121
Stochastic inversion for scaling geology (Pilkington, M., Todoeschuck, J.P.), **102**, 205
A norm minimization criterion for the inversion of earthquake ground motion (Mendez, A.J., Olson, A.H., Anderson, J.G.), **102**, 287
On the equivalence of two methods for computing partial derivatives of seismic waveforms—II. Laterally homogeneous initial model (Geller, R.J., Hara, T., Tsuboi, S.), **102**, 499
Non-linear arrival time inversion: constraining velocity anomalies by seeking smooth models in 3-D (Sambridge, M.S.), **102**, 653
Stochastic inversion of thermal data in a sedimentary basin: resolving spatial variability (Willett, S.D.), **103**, 321
Simultaneous inversion of waveform and geodetic data for the rupture process of the 1984 Naganoken–Seibu, Japan, earthquake (Yoshida, S., Koketsu, K.), **103**, 355
Inversion of field data in fault tectonics to obtain the regional stress—III. A new rapid direct inversion method by analytical means (Angelier, J.), **103**, 363
Inversion of source parameters for subcrustal earthquakes in the Hellenic Arc (Beißer, M., Wyss, M., Kind, R.), **103**, 439
The 1960 Chile earthquake: inversion for slip distribution from surface deformation (Barrientos, S.E., Ward, S.N.), **103**, 589
Comment on 'Comparison of iterative back-projection inversion and generalized inversion without blocks: case studies in attenuation tomography' by P. Ho-Liu, J.-P. Montagner and H. Kanamori (Trampert, J.), **103**, 755
Reply to comment by J. Trampert (Montagner, J.-P., Ho-Liu, P., Kanamori, H.), **103**, 757

Isostasy

The inverse Vening Meinesz problem in isostasy (Moritz, H.), **102**, 733

Israel

Increasing seismicity as an earthquake precursor in Israel (Shapira, A.), **101**, 203

Italy

Irpinia, Italy, 1980 earthquake: waveform modelling of strong motion data (Vaccari, F., Suhadolc, P., Panza, G.F.), **101**, 631

Japan

Simultaneous inversion of waveform and geodetic data for the rupture process of the 1984 Naganoken–Seibu, Japan, earthquake (Yoshida, S., Koketsu, K.), **103**, 355

Juan de Fuca Ridge

Shallow crustal structure beneath the Juan de Fuca Ridge from 2-D seismic refraction tomography (White, D.J., Clowes, R.M.), **100**, 349

Kenya Rift Valley

A seismic investigation of the Kenya Rift Valley (Henry, W.J., Mechie, J., Maguire, P.K.H., Khan, M.A., Prodehl, C., Keller, G.R., Patel, J.), **100**, 109

Kimberlites

Oxide mineralogy and magnetic properties of Koidu kimberlite complex, Sierra Leone, west Africa (Haggerty, S.E., Hargraves, R.B., Tompkins, L.A.), **100**, 275

Laser holography

Laser holographic measurements of tidal deformation of a tunnel (Takemoto, S.), **100**, 101

Lateral heterogeneity

Long-wavelength *S*-wave velocity structure throughout the mantle (Tanimoto, T.), **100**, 327
Summation of the Born series for the normal modes of the Earth (Tromp, D., Dahlen, F.A.), **100**, 527
Recovery of aspherical earth structure from observations of normal mode amplitudes (Pollitz, F.F.), **102**, 313

Lithosphere

Crust and upper mantle structure along the DSS Baltic profile in SE Finland (Luosto, U., Tiira, T., Korhonen, H., Azbel, I., Burmin, V., Buyanov, A., Kosminskaya, I., Ionkis, V., Sharov, N.), **101**, 89
Seismological evidence for a decoupled lithospheric segment in south Indian shield (Ramesh, D.S., Rai, S.S., Srinagesh, D., Gaur, V.K.), **102**, 113
3-D structure of the lithosphere in the Aegean region (Ligdas, C.N., Main, I.G., Adams, R.D.), **102**, 219
Electromagnetic induction in a spherical earth with non-uniform oceans and continents in electric contact with the underlying medium—II. Bimodal global geomagnetic sounding of the lithosphere (Fainberg, E.B., Kuvshinov, A.V., Singer, B.Sh.), **102**, 283
Rheology of the lithosphere in the East African Rift System (Fadaie, K., Ranalli, G.), **102**, 445

Magnetic anomalies

Statistical prediction of satellite magnetic anomalies (Goyal, H.K., von Frese, R.R.B., Hinze, W.J., Rayat, D.N.), **102**, 101

Magnetic polarity

Magnetic polarity stratigraphy of the Tertiary igneous rocks of Skye, Scotland (Dagley, P., Mussett, A.E., Skelhorn, R.R.), **101**, 395

Magnetic properties

Oxide mineralogy and magnetic properties of Koidu kimberlite complex, Sierra Leone, west Africa (Haggerty, S.E., Hargraves, R.B., Tompkins, L.A.), **100**, 275

Magnetic susceptibility

Magnetic field and susceptibility logging in GPF3 borehole at Couy (France) between 0 and 3500m (Tabbagh, A., Pozzi, J.P., Alvarez, F., Pocachard, J., Martin, J.P., Pagès, G., Gable, R., Lebert, F., Hutin, R.), **101**, 81
The measurement of magnetic fabric of rocks using an astatic magnetometer (Shaoying, He., Shiwei, Sun., Tongchun, Xu.), **103**, 569

Magnetite

Evidence for TRM domain wall moments? (Worm, H.-U., Banerjee, S.K.), **102**, 359

Magnetization

Brunhes chron excursion/polarity episode recorded during the late Pleistocene
Albuquerque Volcanoes, New Mexico, USA (Geissman, J.W., Brown, L., Turrin, B.D., McFadden, L.D., Harlan, S.S.), **102**, 73
Evidence for TRM domain wall moments? (Worm, H.-U., Banerjee, S.K.), **102**, 359
Post-folding remagnetization that passes the fold test (Burmester, R.F., Bazard, D.R., Beck, M.E. Jr), **102**, 455
Resolution of ferrimagnetic and paramagnetic anisotropies in rocks, using combined low-field and high-field measurements (Hrouda, F., Jelínek,V.), **103**, 75
Magnetic properties of some carbonatites from Tanzania, East Africa (Shive, P.N., Nyblade, A.A., Wittke, J.H.), **103**, 103
Magnetic properties of natural goethite—III. Magnetic behaviour and properties of minerals originating from goethite dehydration during thermal demagnetization (Dekkers, M.J.), **103**, 233
The anomalous demagnetization of pyrrhotite (Thomson, G.F.), **103**, 425
Accounting for crustal magnetization in models of the core magnetic field (Jackson, A.), **103**, 657

Magnetotellurics

Comments on 'Concerning dispersion relations for the magnetotelluric impedance tensor' by E. Yee and K. V. Paulson (Egbert, G.D.), **102**, 1
Reply to the 'Comments on: Concerning dispersion relations for the magnetotelluric impedance censor' by G.D. Egbert (Yee, E., Paulson, K.V.), **102**, 9
Geomagnetic induction in the Tasman Sea and electrical conductivity structure beneath the Tasman Seafloor (Ferguson, I.J., Lilley, F.E.M., Filloux, J.H.), **102**, 299
A deep geoelectric survey of the Carnmenellis granite (Beamish, D.), **102**, 679

Mantle

3-D upper mantle shear velocity and attenuation from fundamental mode free oscillation data (Roult, G., Romanowicz, B., Montagner, J.P.), **101**, 61
An investigation of the upper mantle beneath NW Australia using a hybrid seismograph array (Bowman, J.R., Kennett, B.L.N.), **101**, 411
Stochastic analysis of global traveltime data: mantle heterogeneity and random errors in the ISC data (Gudmundsson, O., Davies, J.H., Clayton, R.W.), **102**, 25
A new constraint on the composition of the topmost continental mantle—anomalously different depth increases of *P* and *S* velocity (Gajewski, D., Stangl, R., Fuchs, K., Sandmeier, K.J.), **103**, 497

Mantle conductivity

On the electrical conductivity of the mid-mantle: II. Delineation of heterogeneity by application of extremal inverse solutions (Schultz, A., Larsen, J.), **101**, 565
Standard electrical conductivity of isotropic, homogeneous olivine in the temperature range 1200° – 1500°C (Shankland, T.J., Duba, A.G.), **103**, 25

Mantle flow

A steady velocity field at the top of the Earth's core in the frozen-flux approximation—errata and further comments (Whaler, K.A.), **102**, 507

Mantle plumes

The thermal structure of mantle plumes: axisymmetric or triple-junction? (Houseman, G.A.), **102**, 15

Mantle structure

Crust and upper mantle structure along the DSS Baltic profile in SE Finland (Luosto, U., Tiira, T., Korhonen, H., Azbel, I., Burmin, V., Buyanov, A., Kosminskaya, I., Ionkis, V., Sharov, N.), **101**, 89
The subspace projection method for constructing coupled-mode synthetic seismograms (Park, J.), **101**, 111
Evidence of a laterally variable lower mantle structure from *P*- and *S*-waves (Weber, M., Davis, J.P.), **102**, 231

Mantle temperature

Standard electrical conductivity of isotropic, homogeneous olivine in the temperature range 1200° – 1500°C (Shankland, T.J., Duba, A.G.), **103**, 25

Mediterranean

Velocity structure of the western Mediterranean from inversion of *P*-wave traveltimes (Gobarenko, V.S., Nikolova, S.B., Sokolova, S.J.), **101**, 557
Earthquake mechanisms in the Hellenic Trench near Crete (Taymaz, T., Jackson, J., Westaway, R.), **102**, 695

Mexico

Evidence for anomalous body-wave radiation between 0.3 and 0.7 Hz from the 1985 September 19 Michoacan, Mexico earthquake (Singh, S.K., Mori, A., Mena, E., Krüger, F., Kind, R.), **101**, 37

Mode coupling

Correction of normal mode frequencies and amplitudes for the effect of spheroidal–toroidal coupling (Pollitz, F.F.), **102**, 341

Moho

The inverse Vening Meinesz problem in isostasy (Moritz, H.), **102**, 733
Deep seismic sounding studies in the north Cambay and Sanchor basins, India (Kaila, K.L., Tewari, H.C., Krishna, V.G., Dixit, M.M., Sarkar, D., Reddy, M.S.), **103**, 621

Mozambique Ridge

Isostatic response of the lithosphere beneath the Mozambique Ridge (SW Indian Ocean) and geodynamic implications (Maia, M., Diament, M., Recq, M.), **100**, 337

New Zealand

Power-law stress relaxation after the 1987 Edgecumbe, New Zealand, earthquake (Darby, D.J., Smith, E.G.C.), **103**, 561

Non-Newtonian gravitation

Search for non-Newtonian gravitation—a gravimetric experiment in a hydroelectric lake (Müller, G., Zürn, W., Lindner, K., Rösch, N.), **101**, 329

Normal modes

Summation of the Born series for the normal modes of the Earth (Tromp, D., Dahlen, F.A.), **100**, 527
Recovery of aspherical earth structure from observations of normal mode amplitudes (Pollitz, F.F.), **102**, 313
Correction of normal mode frequencies and amplitudes for the effect of spheroidal–toroidal coupling (Pollitz, F.F.), **102**, 341
Modelling of coupled normal modes of the Earth: the spectral method (Lognonné, P., Romanowicz, B.), **102**, 365
Core dynamics: the two-potential description and a new variational principle (Wu, W.J., Rochester, M.G.), **103**, 697
Free oscillations of a spherical anelastic earth (Tromp, J., Dahlen, F.A.), **103**, 707

Normal modes of the Earth

Modelling of coupled normal modes of the Earth: the spectral method (Lognonné, P., Romanowicz, B.), **102**, 365

North Sea

Sea surface variability in the North Sea as derived from *Seasat* altimetry (Oskam, D.), **100**, 1

Norway

A palaeomagnetic study of the Basal Gneiss Region and Jotun Nappe Complex, Central–Southern Scandinavian Caledonides (Piper, J.D.A., Poppleton, T.J.), **101**, 591

Nutation

On the nutations of a more realistic earth model (Dehant, V.), **100**, 477

Oceanic crust

A study of the palaeomagnetism of subglacial basalts, SW Iceland: a comparison with oceanic crust (Helgason, J., Van Wagoner, N.A., Ryall, P.J.C.), **103**, 13

Oceanic lithosphere

Elastic layer thickening with age of the oceanic lithosphere: a tool for prediction of the age of volcanoes or oceanic crust (Calmant, S., Francheteau, J., Cazenave, A.), **100**, 59
Po/*So* Synthetics for a variety of oceanic models and their implications for the structure of the oceanic lithosphere (Mallick, S., Frazer, L.N.), **100**, 235

Oceans

Experiments in tidal mass conservation (Dickman, S.R.), **102**, 257
The response of a realistic earth to ocean tide loading (Pagiatakis, S.D.), **103**, 541

***P* seismograms**

Surface reflections and *S*-to-*P* conversions on *P* seismograms (Douglas, A., Richardson, L., Hutchins, M.), **100**, 303

Pacific Ocean

Investigation for anisotropic attenuation in the Pacific (Butler, R., Cessaro, R.K.), **100**, 321
Heat flow maintained in ocean basins of great age: investigations in the north-equatorial West Pacific (Lister, C.R.B., Sclater, J.G., Davis, E.E., Villinger, H., Nagihara, S.), **102**, 603

Palaeomagnetism

Similarity of new palaeomagnetic data from the Santa Rosa Mountains with those from Steens Mountain gives wide regional evidence for a two-stage process of geomagnetic field reversal (Roberts, N., Fuller, M.), **100**, 521
Secondary magnetizations cast doubt on exceptional palaeointensity values from the Lousetown Creek Lavas of Nevada, USA (Roberts, N., Shaw, J.), **101**, 251
New statistical methods for directional data—1. Bootstrap comparison of mean directions and the fold test in palaeomagnetism (Fisher, N.I, Hall, P.), **101**, 305
The palaeomagnetism of Late Permian–Early Triassic and Late Triassic deposits on Timor: an Australian origin? (Wensink, H., Hartosukohardjo, S.), **101**, 315
Magnetic polarity stratigraphy of the Tertiary igneous rocks of Skye, Scotland (Dagley, P., Mussett, A.E., Skelhorn, R.R.), **101**, 395
Geomagnetic secular variations 0–2700 yr BP recorded by lake sediments from Waginger See (southeastern Bavaria) (Werner, J., Michler, G., Schult, A.), **101**, 479
A palaeomagnetic study of the Basal Gneiss Region and Jotun Nappe Complex, Central–Southern Scandinavian Caledonides (Piper, J.D.A., Poppleton, T.J.), **101**, 591
IAGA global palaeomagnetic database (McElhinny, M.W., Lock, J.), **101**, 763
Multicomponent magnetizations in the Foyers Old Red Sandstone (northern Scotland) and their bearing on lateral displacements along the Great Glen Fault (Storetvedt, K.M., Tveit, E., Deutsch, E.R., Murthy, G.S.), **102**, 151
$^{40}Ar/^{39}Ar$ dating of a Late Proterozoic palaeomagnetic pole for the Armorican Massif (France) (Ruffet, G., Perroud, H., Féraud, G.), **102**, 397
The Sabaloka ring complex revisited: palaeomagnetism and rockmagnetism (Soffel, H.C., Saradeth, S., Briden, J.C., Bachtadse, V., Rolf, C.), **102**, 411
Post-folding remagnetization that passes the fold test (Burmester, R.F., Bazard, D.R., Beck, Jr, M.E.), **102**, 455
Magnetic refraction studied on two experimental kilns (Soffel, H.C., Schurr, K.), **102**, 551
Palaeomagnetic evidence for substantial rotation of the Almacik flake within the North Anatolian fault zone, NW Turkey (Saribudak, M., Sanver, M., Sengör, A.M.C., Görür, N.), **102**, 563
Palaeomagnetism of the Kvamshesten and Hornelen Old Red Sandstone Basins, western Norway (Smethurst, M.A.), **102**, 585
Tectonic rotation of the Santa Ynez Range
California, recorded in the Sespe Formation (Liddicoat, J.C.), **102**, 739
A study of the palaeomagnetism of subglacial basalts, SW Iceland: a comparison with oceanic crust (Helgason, J., Van Wagoner, N.A., Ryall, P.J.C.), **103**, 13
Palaeomagnetic study of eastern Tibet—deformation of the Three Rivers region (Otofuji, Y., Inoue, Y., Funahara, S., Murata, F., Zheng, X.), **103**, 85
Magnetic properties of some carbonatites from Tanzania, East Africa (Shive, P.N., Nyblade, A.A., Wittke, J.H.), **103**, 103
A new fold test for palaeomagnetic studies (McFadden, P.L.), **103**, 163
On the palaeogeography of Baltica during the Palaeozoic: new palaeomagnetic data from the Scandinavian Caledonides (Torsvik, T.H., Olesen, O., Ryan, P.D., Trench, A.), **103**, 261
Abnormal shallow palaeomagnetic inclinations from the 1950 and 1972 lava flows, Hawaii (Tanguy, J.-C.), **103**, 281
The anomalous demagnetization of pyrrhotite (Thomson, G.F.), **103**, 425
Canadian Cordilleran displacement: palaeomagnetic results from the Early Jurassic Hazelton Group, Terrane I, British Columbia, Canada (Vandall, T.A., Palmer, H.C.), **103**, 609
Classification of the reversal test in palaeomagnetism (McFadden, P.L., McElhinny, M.W.), **103**, 725

Percolation theory

Percolation theory: a model for rock fracture? (Bebbington, M., Vere-Jones, D., Zheng, X.), **100**, 215

Perturbation method

A perturbative analysis of non-linear inversion (Sneider, R.), **101**, 545
Perturbation approximation of 3-D seismic scattering (Prange, M., Toksöz, M.N.), **101**, 713
Modelling of coupled normal modes of the Earth: the spectral method (Lognonnë, P., Romanowicz, B.), **102**, 365
Amplitude computation in heterogeneous media by ray perturbation theory: a finite element approach (Farra, V.), **103**, 341

Perturbation theory

Perturbation of the plane-wave reflectivity of a depth-dependent elastic medium by weak inhomogeneities (Dietrich, M., Kormendi, F.), **100**, 203

Phase transition

S–P conversion from the transition zone beneath Tonga and the nature of the 670km discontinuity (Richards, M.A., Wicks, C.W), **101**, 1

Plate dynamics

Plate dynamics: Caribbean map corrections and hotspot push (Harper, J.F.), **100**, 423

Plate tectonics

Current plate motions (DeMets, C., Gordon, R.G., Argus, D.F., Stein, S.), **101**, 425
The rotation group in plate tectonics and the representation of uncertainties of plate reconstructions (Chang, T., Stock, J., Molnar, P.), **101**, 649

Polarization

Time- and frequency-dependent polarization analysis: anomalous surface wave observations in Iberia (Paulssen, H., Levshin, A.L., Lander, A.V., Snieder, R.), **103**, 483

Processing of seismic data

Processing and inversion of long-period surface-wave data collected in the Iberian Peninsula (Badal, J., Corchete, V., Payo, G., Canas, J.A., Pujades, L., Serón, F.J.), **100**, 193

Quartz mylonites

The calculated seismic properties of quartz mylonites with typical fabrics: relationship to kinematics and temperature (Mainprice, D., Casey, M.), **103**, 599

Pre-selection of seismic rays as a possible method to improve the inverse problem solution (Tinti, S., Ugolini, S.), **102**, 45

Ray perturbation

Ray perturbation theory and the Born approximation (Coates, R.T., Chapman, C.H.), **100**, 379

Ray tracing

Boundary value ray tracing in a heterogeneous medium: a simple and versatile algorithm (Sambridge, M.S., Kennett, B.L.N.), **101**, 157
Theory of edge diffraction in terms of dynamic ray tracing (Bakker P.M.), **102**, 177
Simple formulae for path and amplitude anomalies of anisotropic surface waves (Mochizuki, E.), **102**, 263
Amplitude computation in heterogeneous media by ray perturbation theory: a finite element approach (Farra, V.), **103**, 341
Vicinity ray tracing: an alternative to dynamic ray tracing (Kim, W., Cormier, V.F.), **103**, 639

Rayleigh waves

Propagation of elastic waves in a cylindrical bore in a liquid-saturated porous solid (Sharma, M.D., Gogna, M.L.), **103**, 47

Regionalization

A further proposal for additional regions for the Flinn–Engdahl Regionalization Scheme (Young, J.B., Wiens, D.A.), **103**, 759

Remanent magnetization

Magnetic field and susceptibility logging in GPF3 borehole at Couy (France) between 0 and 3500m (Tabbagh, A., Pozzi, J.P., Alvarez, F., Pocachard, J., Martin, J.P., Pagès, G., Gable, R., Lebert, F., Hutin, R.), **101**, 81
Evidence for TRM domain wall moments? (Worm, H.-U., Banerjee, S.K.), **102**, 359
A method for correcting geographically separated remanence directions for the purpose of archaeomagnetic dating (Noel, M., Batt, C.M.), **102**, 753
Magnetic properties of some carbonatites from Tanzania, East Africa (Shive, P.N., Nyblade, A.A., Wittke, J.H.), **103**, 103
The anomalous demagnetization of pyrrhotite (Thomson, G.F.), **103**, 425
The measurement of magnetic fabric of rocks using an astatic magnetometer (Shaoying, He, Shiwei, Sun, Tongchun, Xu), **103**, 569
Accounting for crustal magnetization in models of the core magnetic field (Jackson, A.), **103**, 657

Resistivity

A test of a short-baseline sea-floor transient electromagnetic system (Cheesman, S.J., Edwards, R.N., Law, L.K.), **103**, 431

Rheingraben

Analysis of conductive and convective heat transfer in a sedimentary basin, demonstrated for the Rheingraben (Clauser, C., Villinger, H.), **100**, 393

Rheology

Rheology of the lithosphere in the East African Rift System (Fadaie, K., Ranalli, G.), **102**, 445

Rock fracture

Percolation theory: a model for rock fracture? (Bebbington, M., Vere-Jones, D., Zheng, X.), **100**, 215

Rock magnetism

The palaeomagnetism of Late Permian–Early Triassic and Late Triassic deposits on Timor: an Australian origin? (Wensink, H., Hartosukohardjo, S.), **101**, 315
IAGA global palaeomagnetic database (McElhinny, M.W., Lock, J.), **101**, 763
Brunhes chron excursion/polarity episode recorded during the late Pleistocene, Albuquerque Volcanoes, New Mexico, USA (Geissman, J.W., Brown, L., Turrin, B.D., McFadden, L.D., Harlan, S.S.), **102**, 73
The Sabaloka ring complex revisited: palaeomagnetism and rockmagnetism (Soffel, H.C., Saradeth, S., Briden, J.C., Bachtadse, V., Rolf, C.), **102**, 411
Magnetic refraction studied on two experimental kilns (Soffel, H.C., Schurr, K.), **102**, 551
Resolution of ferrimagnetic and paramagnetic anisotropies in rocks, using combined low-field and high-field measurements (Hrouda, F., Jelínek,V.), **103**, 75
Magnetic properties of natural goethite—III. Magnetic behaviour and properties of minerals originating from goethite dehydration during thermal demagnetization (Dekkers, M.J.), **103**, 233
Abnormal shallow palaeomagnetic inclinations from the 1950 and 1972 lava flows, Hawaii (Tanguy, J.-C.), **103**, 281

Rupture propagation

Simultaneous inversion of waveform and geodetic data for the rupture process of the 1984 Naganoken–Seibu, Japan, earthquake (Yoshida, S., Koketsu, K.), **103**, 355

Scattering

Perturbation approximation of 3-D seismic scattering (Prange, M., Toksöz, M.N.), **101**, 713
A modified energy flux model for lithospheric scattering of teleseismic body waves (Korn, M.), **102**, 165
Attenuation due to second-order scattering in material containing cracks (Hudson, J.A.), **102**, 485
Time- and frequency-dependent polarization analysis: anomalous surface wave observations in Iberia (Paulssen, H., Levshin, A.L., Lander, A.V., Snieder, R.), **103**, 483

Scotland

Magnetic polarity stratigraphy of the Tertiary igneous rocks of Skye, Scotland (Dagley, P., Mussett, A.E., Skelhorn, R.R.), **101**, 395

Sea level

Spectroscopic analysis of global tide gauge sea level data (Trupin, A., Wahr, J.), **100**, 441

Sea surface variability

Sea surface variability in the North Sea as derived from *Seasat* altimetry (Oskam, D.), **100**, 1

Sea-level variation

Holocene glacial rebound and sea-level change in NW Europe (Lambeck, K., Johnston, P., Nakada, M.), **103**, 451

Seafloor spreading

Current plate motions (DeMets, C., Gordon, R.G., Argus, D.F., Stein, S.), **101**, 425

Secular variation

Studies of worldwide secular trends in the solar daily geomagnetic variation (Schlapp, D.M., Sellek, R., Butcher, E.C.), **100**, 469

Sedimentary basins

Stochastic inversion of thermal data in a sedimentary basin: resolving spatial variability (Willett, S.D.), **103**, 321

Sedimentation

Mud diapirism within Indus fan sediments: Murray Ridge, Gulf of Oman (Collier, J.S., White, R.S.), **101**, 345

Seismic coda

A modified energy flux model for lithospheric scattering of teleseismic body waves (Korn, M.), **102**, 165
Seismic attenuation in Iberia using the coda-*Q* method (Payo, G., Badal, J., Canas, J.A., Corchete, V., Pujades, L., Seron, F.J.), **103**, 135

Seismic deconvolution

Ill-conditioning and pre-whitening in seismic deconvolution (O'Dowd, R.J.), **101**, 489

Seismic hazard

A semi-empirical approach for predicting strong ground motion (Tianyu, Z., Zhenxing, Y., Lili, X.), **100**, 9

Seismic modelling

Corrections for critical rays in 2-D seismic modelling (Thomson, C.J.), **103**, 171

Seismic reflections

The seismic velocity structure of some NE Atlantic continental rise sediments; a lithification index? (Whitmarsh, R.B., Miles, P.R., Pinheiro, L.M.), **101**, 367
The calculated seismic properties of quartz mylonites with typical fabrics: relationship to kinematics and temperature (Mainprice, D., Casey, M.), **103**, 599

Seismic refraction

Shallow crustal structure beneath the Juan de Fuca Ridge from 2-D seismic refraction tomography (White, D.J., Clowes, R.M.) **100**, 349

Seismic source theory

Seismic source representation in orthogonal functions (Vasco, D.W.), **102**, 531

Seismic stress

Quasi-static modelling of stress histories during the earthquake cycle: precursory seismic and aseismic stress release (Main, I.G.), **102**, 195
Power-law stress relaxation after the 1987 Edgecumbe, New Zealand, earthquake (Darby, D.J., Smith, E.G.C.), **103**, 561

Seismic structure

The seismic velocity structure of some NE Atlantic continental rise sediments; a lithification index? (Whitmarsh, R.B., Miles, P.R., Pinheiro, L.M.), **101**, 367
The ocean–continent boundary off the western continental margin of Iberia—I. Crustal structure at 40°30′N (Whitmarsh, R.B., Miles, P.R., Mauffret, A.), **103**, 509

Seismic tomography

A back-projection method for imaging large-scale lateral variations of *Lg* coda *Q* with application to continental Africa (Xie, J., Mitchell, B.J.), **100**, 161
3-D structure of the lithosphere in the Aegean region (Ligdas, C.N., Main, I.G., Adams, R.D.), **102**, 219
Observations on earthquake stress axes and seismic morphology of deep slabs (Zhou, H.-w.), **103**, 377

Seismic velocities

3-D velocity images beneath the Chinese continent and adjacent regions (Fu-Tain, Liu, Hua, Wu, Jian-hua, Liu, Ge, Hu, Qiang, Li, Ke-xin, Qu), **101**, 379
Seismic properties of rocks with distributions of small cracks (Peacock, S., Hudson, J.A.), **102**, 471
Non-linear arrival time inversion: constraining velocity anomalies by seeking smooth models in 3-D (Sambridge, M.S.), **102**, 653
A new constraint on the composition of the topmost continental mantle—anomalously different depth increases of *P* and *S* velocity (Gajewski, D., Stangl, R., Fuchs, K., Sandmeier, K.J.), **103**, 497

Seismic wave propagation

Scattering of plane *SH*-waves by a semi-parabolic cylindrical canyon in an elastic half-space (Lee, V.W.), **100**, 79
The effect of 3-D structure on *Lg* propagation patterns (Bostock, M.G., Kennett, B.L.N.), **101**, 355
Wave propagation in anisotropic linear viscoelastic media: theory and simulated wavefields (Carcione, J.M.), **101**, 739
Seismic properties of rocks with distributions of small cracks (Peacock, S., Hudson, J.A.), **102**, 471
Propagation invariants, reflection and transmission in anisotropic, laterally heterogeneous media (Kennett, B.L.N., Koketsu, K., Haines, A.J.), **103**, 95

Seismic waves

Perturbation of the plane-wave reflectivity of a depth-dependent elastic medium by weak inhomogeneities (Dietrich, M., Kormendi, F.), **100**, 203
Controlled direction reception filtering of *P*- and *S*-waves in τ–p space (Greenhalgh, S.A., Mason, I.M., Lucas, E., Pant, D., Eames, R.T.), **100**, 221
Evidence for anomalous body-wave radiation between 0.3 and 0.7 Hz from the 1985 September 19 Michoacan, Mexico earthquake (Singh, S.K., Mori, A., Mena, E., Krüger, F., Kind, R.), **101**, 37
The effect of 3-D structure on *Lg* propagation patterns (Bostock, M.G., Kennett, B.L.N.), **101**, 355
Perturbation approximation of 3-D seismic scattering (Prange, M., Toksöz, M.N.), **101**, 713
The interaction of the *S*-wavefield with upper mantle heterogeneity (Kennett, B.L.N., Nolet, G.), **101**, 751

On the equivalence of two methods for computing partial derivatives of seismic waveforms—II. Laterally homogeneous initial model (Geller, R.J., Hara, T., Tsuboi, S.), **102**, 499
Propagation invariants, reflection and transmission in anisotropic, laterally heterogeneous media (Kennett, B.L.N., Koketsu, K., Haines, A.J.), **103**, 95
The effect on teleseismic *P* of the zone of damage created by an explosion (Douglas, A., Hudson, J.A.), **103**, 111
The crystal structure of iron in the Earth's inner core (Sayers, C.M.), **103**, 285
Vicinity ray tracing: an alternative to dynamic ray tracing (Kim, W., Cormier, V.F.), **103**, 639
Wave propagation in laterally heterogeneous layered media (Wenzel, F., Stenzel, K.-J, Zimmermann, U.), **103**, 675
Determination of seismic wavefields in arbitrarily continuously layered media using the modified Cagniard method (Verweij, M.D., de Hoop, A.T.), **103**, 731

Seismicity

Increasing seismicity as an earthquake precursor in Israel (Shapira, A.), **101**, 203
Seismicity and associated strain of central Greece between 1890 and 1988 (Ambraseys, N.N., Jackson, J.A.), **101**, 663
Seismicity and present-day tectonics of the Svalbard region (Mitchell, B.J., Bungum, H., Chan, W.W., Mitchell, P.B.), **102**, 139
Tectonic deformation of the Andes and the configuration of the subducted slab in central Peru: results from a microseismic experiment (Suárez, G., Gagnepain, J., Cisternas, A., Hatzfeld, D., Molnar, P., Ocola, L., Roecker, S.W., Viode, J.P.), **103**, 1

Seismograms

Modelling curved surface wave paths: membrane surface wave synthetics (Tanimoto, T.), **102**, 89
Decomposition of complex single-station three-component seismograms (Roberts, R.G., Christoffersson, A.), **103**, 55

Seismograph network

An investigation of the upper mantle beneath NW Australia using a hybrid seismograph array (Bowman, J.R., Kennett, B.L.N.), **101**, 411

Seismology

An investigation of the upper mantle beneath NW Australia using a hybrid seismograph array (Bowman, J.R., Kennett, B.L.N.), **101**, 411

Seismotectonics

The strain pattern in the western Hellenic arc deduced from a microearthquake survey (Hatzfeld, D., Pedotti, G., Hatzidimitriou, P., Makropoulos, K.), **101**, 181

***SH*-waves**

Scattering of plane *SH*-waves by a semi-parabolic cylindrical canyon in an elastic half-space (Lee, V.W.), **100**, 79

Spectral analysis

A theory of spectral analysis based on the characteristic property of a linear dynamic system (Kumazawa, M., Imanishi, Y., Fukao, Y., Furumoto, M., Yamamoto, A.), **101**, 613

Spherical harmonics

Experiments in tidal mass conservation (Dickman, S.R.), **102**, 257
Corrigendum **102**, 265

Statistical methods

New statistical methods for directional data—1. Bootstrap comparison of mean directions and the fold test in palaeomagnetism (Fisher, N.I, Hall, P.), **101**, 305
Statistical prediction of satellite magnetic anomalies (Goyal, H.K., von Frese, R.R.B., Hinze, W.J., Rayat, D.N.), **102**,**101A** new fold test for palaeomagnetic studies (McFadden, P.L.), **103**, 163
Classification of the reversal test in palaeomagnetism (McFadden, P.L., McElhinny, M.W.), **103**, 725

Stress

Observations on earthquake stress axes and seismic morphology of deep slabs (Zhou, H.-w.), **103**, 377

Stress distribution

Random stress and earthquake statistics: spatial dependence (Kagan, Y.Y.), **102**, 573

Strong ground motion

Irpinia, Italy, 1980 earthquake: waveform modelling of strong motion data (Vaccari, F., Suhadolc, P., Panza, G.F.), **101**, 631

Subduction

S–*P* conversion from the transition zone beneath Tonga and the nature of the 670 km discontinuity (Richards, M.A., Wicks, C.W), **101**, 1
Subduction zones—their influence on traveltimes and amplitudes of *P*-waves (Weber, M.), **101**, 529
Crustal and upper mantle structure in the Ryukyu Island Arc deduced from deep seismic sounding (Iwasaki, T., Hirata, N., Kanazawa, T., Melles, J., Suyehiro, K., Urabe, T., Möller, L., Makris, J., Shimamura, H.), **102**, 631
Earthquake mechanisms in the Hellenic Trench near Crete (Taymaz, T., Jackson, J., Westaway, R.), **102**, 695
Observations on earthquake stress axes and seismic morphology of deep slabs (Zhou, H.-w.), **103**, 377

Surface waves

Attenuation of multiphase surface waves in the Basin and Range province, part I: *Lg* and *Lg* coda (Xie, J., Mitchell, B.J.), **102**, 121
Smoothness criteria in surface wave tomography (Yanovskaya, T.B., Ditmar, P.G.), **102**, 63
Modelling curved surface wave paths: membrane surface wave synthetics (Tanimoto, T.), **102**, 89
Simple formulae for path and amplitude anomalies of anisotropic surface waves (Mochizuki, E.), **102**, 263
Time- and frequency-dependent polarization analysis: anomalous surface wave observations in Iberia (Paulssen, H., Levshin, A.L., Lander, A.V., Snieder, R.), **103**, 483
On the orthogonality of surface wave eigenfunctions in cylindrical coordinates (Bostock, M.G.), **103**, 763

Switzerland

Crustal strain in Switzerland 1870–1970 (Reilly, W.I., Gubler, E.), **103**, 251

Synthetic seismograms

Po/So Synthetics for a variety of oceanic models and their implications for the structure of the oceanic lithosphere (Mallick, S., Frazer, L.N.), **100**, 235
Summation of the Born series for the normal modes of the Earth (Tromp, D, Dahlen, F.A.), **100**, 527
The subspace projection method for constructing coupled-mode synthetic seismograms (Park, J.), **101**, 111
Irpinia, Italy, 1980 earthquake: waveform modelling of strong motion data (Vaccari, F., Suhadolc, P., Panza, G.F.), **101**, 631
The interaction of the *S*-wavefield with upper mantle heterogeneity (Kennett, B.L.N., Nolet, G.), **101**, 751
On the equivalence of two methods for computing partial derivatives of seismic waveforms—II. Laterally homogeneous initial model (Geller, R.J., Hara, T., Tsuboi, S.), **102**, 499
Wave propagation in laterally heterogeneous layered media (Wenzel, F., Stenzel, K.-J, Zimmermann, U.), **103**, 675

Synthetic waveforms

Synthetic waveforms and polarizations at the free surface of an anisotropic half-space (Tsvankin, I.D., Chesnokov, E.M.), **101**, 497

Tectonics

Seismicity and present-day tectonics of the Svalbard region (Mitchell, B.J., Bungum, H., Chan, W.W., Mitchell, P.B.), **102**, 139
Multicomponent magnetizations in the Foyers Old Red Sandstone (northern Scotland) and their bearing on lateral displacements along the Great Glen Fault (Storetvedt, K.M., Tveit, E., Deutsch, E.R., Murthy, G.S.), **102**, 151
Tectonic rotation of the Santa Ynez Range, California, recorded in the Sespe Formation (Liddicoat, J.C.), **102**, 739
Palaeomagnetic study of eastern Tibet—deformation of the Three Rivers region (Otofuji, Y., Inoue, Y., Funahara, S., Murata, F., Zheng, X.), **103**, 85
On the palaeogeography of Baltica during the Palaeozoic: new palaeomagnetic data from the Scandinavian Caledonides (Torsvik, T.H., Olesen, O., Ryan, P.D., Trench, A.), **103**, 261
Canadian Cordilleran displacement: palaeomagnetic results from the Early Jurassic Hazelton Group, Terrane I, British Columbia, Canada (Vandall, T.A., Palmer, H.C.), **103**, 609

Teleseismic events

Teleseismic epicentre locations from arrival times at regional networks (Ruud, B.O.), **100**, 515

Tides

Spectroscopic analysis of global tide gauge sea level data (Trupin, A., Wahr, J.), **100**, 441
Experiments in tidal mass conservation (Dickman, S.R.), **102**, 257
Corrigendum (Dickman, S.R.), **102**, 265
Local effects on tidal strain measurements at Esashi, Japan (Sato, T., Harrison, J.C.), **102**, 513
Loading tides on a stratified viscoelastic self-gravitating half-space (Mao, W.J.), **102**, 537
The fortnightly and monthly zonal tides in the Earth's rotation from 1962 to 1988 (Hefty, J., Capitaine, N.), **103**, 219
Geomagnetic lunar variations due to the ocean dynamo measured at European observatories (Rosser, W.G.V., Schlapp, D.M.), **103**, 257

Tomographic inversion

Tomographic inversion in reflection seismology (Williamson, P.R.), **100**, 255

Tomography

3-D upper mantle shear velocity and attenuation from fundamental mode free oscillation data (Roult, G., Romanowicz, B., Montagner, J.P.), **101**, 61
Pre-selection of seismic rays as a possible method to improve the inverse problem solution (Tinti, S., Ugolini, S.), **102**, 45
Smoothness criteria in surface wave tomography (Yanovskaya, T.B., Ditmar, P.G.), **102**, 63
Seismological evidence for a decoupled lithospheric segment in south Indian shield (Ramesh, D.S., Rai, S.S., Srinagesh, D., Gaur, V.K.), **102**, 113

Topography

The development of an isostatic gravitational model to degree 360 and its use in global gravity modelling (Pavlis, N.K., Rapp, R.H.), **100**, 369

Transform faults

Current plate motions (DeMets, C., Gordon, R.G., Argus, D.F., Stein, S.), **101**, 425

Transient electromagnetic methods (TEM)

A test of a short-baseline sea-floor transient electromagnetic system (Cheesman, S.J., Edwards, R.N., Law, L.K.), **103**, 431

Transversely isotropic earth model

The matrix element for a transversely isotropic earth model (Shibata, N., Suda, N., Fukao, Y.), **100**, 315

Triassic

The palaeomagnetism of Late Permian–Early Triassic and Late Triassic deposits on Timor: an Australian origin? (Wensink, H., Hartosukohardjo, S.), **101**, 315

Upper Mantle

Upper mantle structure under western Europe from fundamental and higher mode surface waves using the NARS array (Dost, B.), **100**, 133
3-D upper mantle shear velocity and attenuation from fundamental mode free oscillation data (Roult, G., Romanowicz, B., Montagner, J.P.), **101**, 61
Crust and upper mantle structure along the DSS Baltic profile in SE Finland (Luosto, U., Tiira, T., Korhonen, H., Azbel, I., Burmin, V., Buyanov, A., Kosminskaya, I., Ionkis, V., Sharov, N.), **101**, 89
An investigation of the upper mantle beneath NW Australia using a hybrid seismograph array (Bowman, J.R., Kennett, B.L.N.), **101**, 411
The interaction of the *S*-wavefield with upper mantle heterogeneity (Kennett, B.L.N., Nolet, G.), **101**, 751
Crustal and upper mantle structure in the Ryukyu Island Arc deduced from deep seismic sounding (Iwasaki, T., Hirata, N., Kanazawa, T., Melles, J., Suyehiro, K., Urabe, T., Müller, L., Makris, J., Shimamura, H.), **102**, 631

Velocity structure

Velocity structure of the western Mediterranean from inversion of *P*-wave traveltimes (Gobarenko, V.S., Nikolova, S.B., Sokolova, S.J.), **101**, 557

Viscoelasticity

Deformation of internal boundaries in a viscoelastic earth and topographic coupling between the mantle and core (Wu, P.), **101**, 213
Wave propagation in anisotropic linear viscoelastic media: theory and simulated wavefields (Carcione, J.M.), **101**, 739
The response of a realistic earth to ocean tide loading (Pagiatakis, S.D.), **103**, 541

Viscosity

Mud diapirism within Indus fan sediments: Murray Ridge, Gulf of Oman (Collier, J.S., White, R.S.), **101**, 345

Viscous flow

Boundary conditions and efficient solution algorithms for the potential function formulation of the 3-D viscous flow equations (Houseman, G.A.), **100**, 33

Volcanism

A mathematical model of vulcanian eruptions (Turcotte, D.L., Ockendon, H., Ockendon, J.R., Cowley, S.J.), **103**, 211

Wave propagation

Comparison of the WKBJ and truncated asymptotic methods for an acoustic medium (Yedlin, M.J., Seymour, B.R., Zelt, B.C.), **101**, 49
Wave propagation in anisotropic linear viscoelastic media: theory and simulated wavefields (Carcione, J.M.), **101**, 739
The elastodynamic Green's tensor in an anisotropic half-space (Ben-Menahem, A., Sena, A.G.), **102**, 421
Propagation of elastic waves in a cylindrical bore in a liquid-saturated porous solid (Sharma, M.D., Gogna, M.L.), **103**, 47
Quasi-shear wave coupling in weakly anisotropic 3-D media (Coates, R.T., Chapman, C.H.), **103**, 301
Acoustic wave propagation in 2-D cylindrical coordinates (Kessler, D., Kosloff, D.), **103**, 577
Wave propagation in laterally heterogeneous layered media (Wenzel, F., Stenzel, K.-J, Zimmermann, U.), **103**, 675
Determination of seismic wavefields in arbitrarily continuously layered media using the modified Cagniard method (Verweij, M.D., de Hoop, A.T.), **103**, 731

Waveform analysis

Computation of complete waveforms in general anisotropic media—results from an explosion source in an anisotropic medium (Mandal, B., Toksöz, M.N.), **103**, 33

Waveform inversion

On the equivalence of two methods for computing partial derivatives of seismic waveforms (Geller, R.J, Hara, T., Tsuboi, S.), **100**, 155

Geophysical journal international author index by volume 100–103

Adams, R.D. *see* Ligdas, C.N.
Alvarez, F. *see* Tabbagh, A.
Ambraseys, N.N., Jackson, J.A. Seismicity and associated strain of central Greece between 1890 and 1988, **101**, 663
Anderson, J.G. *see* Mendez, A.J.
Angelier, J. Inversion of field data in fault tectonics to obtain the regional stress—III. A new rapid direct inversion method by analytical means, **103**, 363
Argus, D.F. *see* DeMets, C.
Asteriadis, G., Zioutas, G. Application of an outlier detecting method for identifying changes in the underground water level caused by crustal movements, **103**, 415
Azbel, I. *see* Korhonen, H.
Azbel, I. *see* Luosto, U.

Bachtadse, V. *see* Soffel, H.C.
Badal, J., Corchete, V., Payo, G., Canas, J.A., Pujades, L., Serón, F.J. Processing and inversion of long-period surface-wave data collected in the Iberian Peninsula, **100**, 193
Badal, J. *see* Payo, G.
Bakker, P.M. Theory of edge diffraction in terms of dynamic ray tracing, **102**, 177
Balling, N. *see* Nielsen, S.B.
Banerjee, S.K. *see* Worm, H.-U.
Barrientos, S.E., Ward, S.N. The 1960 Chile earthquake: inversion for slip distribution from surface deformation, **103**, 589
Batt, C.M. *see* Noel, M.
Bazard, D.R. *see* Burmester, R.F.
Beamish, D. A deep geoelectric survey of the Carnmenellis granite, **102**, 679
Bebbington, M., Vere-Jones, D., Zheng, X. Percolation theory: a model for rock fracture?, **100**, 215
Beck, Jr, M.E. *see* Burmester, R.F.
Beißer, M., Wyss, M., Kind, R. Inversion of source parameters for subcrustal earthquakes in the Hellenic Arc, **103**, 439
Ben-Menahem, A., Sena, A.G. The elastodynamic Green's tensor in an anisotropic half-space, **102**, 421
Ben-Zion, Y. The response of two half spaces to point dislocations at the material interface, **101**, 507
Bocchio, F. Gravity field aspects from a topological invariant, **102**, 527
Bonafede, M. Axi-symmetric deformation of a thermo-poro-elastic half-space: inflation of a magma chamber, **103**, 289
Bonjer, K P. *see* Ebel, J.E.
Bostock, M.G., Kennett, B.L.N. The effect of 3-D structure on *Lg* propagation patterns, **101**, 355
Bostock, M.G. On the orthogonality of surface wave eigenfunctions in cylindrical coordinates, **103**, 763
Bowman, J.R., Gibson, G., Jones, T. Aftershocks of the 1988 January 22 Tennant Creek Australia intraplate earthquakes: evidence for a complex thrust-fault geometry **100**, 89
Bowman, J.R., Kennett, B.L.N. An investigation of the upper mantle beneath NW Australia using a hybrid seismograph array, **101**, 411
Boyd, D.M. *see* Korvin, G.
Briden, J.C. *see* Soffel, H.C.
Brown, L. *see* Geissman, J.W.
Bungum, H. *see* Mitchell, B.J.
Burmester, R.F., Bazard, D.R., Beck, Jr, M.E. Post-folding remagnetization that passes the fold test, **102**, 455
Burmin, V. *see* Luosto, U.
Butcher, E.C. *see* Schlapp, D.M.
Butler, R., Cessaro, R.K. Investigation for anisotropic attenuation in the Pacific, **100**, 321
Buyanov, A. *see* Luosto, U.

Calmant, S., Francheteau, J., Cazenave, A. Elastic layer thickening with age of the oceanic lithosphere: a tool for prediction of the age of volcanoes or oceanic crust, **100**, 59
Canas, J.A. *see* Badal, J.
Canas, J.A. *see* Payo, G.
Canas, J.A. *see* Pujades, L.G.
Capitaine, N. *see* Hefty, J.
Carcione, J.M. Wave propagation in anisotropic linear viscoelastic media: theory and simulated wavefields, **101**, 739
Casas, A. *see* Pujades, L.G.
Casey, M. *see* Mainprice, D.
Cazenave, A. *see* Calmant, S.
Cessaro, R.K. *see* Butler, R.
Chan, W.W. *see* Mitchell, B.J.
Chang, T., Stock, J., Molnar, P. The rotation group in plate tectonics and the representation of uncertainties of plate reconstructions, **101**, 649
Chapman, C.H. *see* Coates, R.T.
Cheesman, S.J., Edwards, R.N., Law, L.K. A test of a short-baseline sea-floor transient electromagnetic system, **103**, 431
Chesnokov, E.M. *see* Tsvankin, I.D.
Christiansen, H.S. *see* Nielsen, S.B.
Christoffersson, A. *see* Roberts, R.G.
Cisternas, A. *see* Suárez, G.
Clauser, C., Villinger, H. Analysis of conductive and convective heat transfer in a sedimentary basin, demonstrated for the Rheingraben, **100**, 393
Clayton, R.W. *see* Gudmundsson, O.
Clowes, R.M. *see* White, D.J.
Coates, R.T., Chapman, C.H. Quasi-shear wave coupling in weakly anisotropic 3-D media, **103**, 301
Coates, R.T., Chapman, C.H. Ray perturbation theory and the Born approximation, **100**, 379
Collier, J.S., White, R.S. Mud diapirism within Indus fan sediments: Murray Ridge, Gulf of Oman, **101**, 345
Corchete, V. *see* Badal, J.
Corchete, V. *see* Payo, G.
Cormier, V.F. *see* Kim, W.
Cowley, S.J. *see* Turcotte, D.L.

Dagley, P., Mussett, A.E., Skelhorn, R.R. Magnetic polarity stratigraphy of the Tertiary igneous rocks of Skye, Scotland, **101**, 395
Dahlen, F.A. *see* Tromp, H.
Dahlen, F.A. *see* Tromp, J.
Darby, D.J., Smith, E.G.C. Power-law stress relaxation after the 1987 Edgecumbe, New Zealand, earthquake, **103**, 561
Davies, J.H. *see* Gudmundsson, O.
Davis, D. *see* Frohlich, C.
Davis, E.E. *see* Lister, C.R.B.
Davis, J.P. *see* Weber, M.
de Hoop, A.T. *see* Verweij, M.D.
Dehant, V. On the nutations of a more realistic earth model, **100**, 477
Dekkers, M.J. Magnetic properties of natural goethite—III. Magnetic behaviour and properties of minerals originating from goethite dehydration during thermal demagnetization, **103**, 233
DeMets, C., Gordon, R.G., Argus, D.F., Stein, S. Current plate motions, **101**, 425
Deutsch, E.R. *see* Storetvedt, K.M.
Diament, M. *see* Maia, M.
Dickman, S.R. Experiments in tidal mass conservation, **102**, 257
Dietrich, M., Kormendi, F. Perturbation of the plane-wave reflectivity of a depth-dependent elastic medium by weak inhomogeneities, **100**, 203
Ditmar, P.G. *see* Yanovskaya, T.B.

Dixit, M.M. *see* Kaila, K.L.
Dost, B. Upper mantle structure under western Europe from fundamental and higher mode surface waves using the NARS array, **100**, 133
Douglas, A., Hudson, J.A. The effect on teleseismic *P* of the zone of damage created by an explosion, **103**, 111
Douglas, A., Richardson, L., Hutchins, M. Surface reflections and *S*-to-*P* conversions on *P* seismograms, **100**, 303
Dragoni, M. A model of interseismic fault slip in the presence of asperities, **101**, 147
Duba, A.G. *see* Shankland, T.J.

Eames, R.T. *see* Greenhalgh, S.A.
Ebel, J.E., Bonjer, K.P. Moment tensor inversion of small earthquakes in southwestern Germany for the fault plane solution, **101**, 133
Edwards, R.N. *see* Cheesman, S.J.
Egbert, G.D. Comments on 'Concerning dispersion relations for the magnetotelluric impedance tensor' by E. Yee and K. V. Paulson, **102**, 1
Egozcue, J.J. *see* Pujades, L.G.

Fadaie, K., Ranalli, G. Rheology of the lithosphere in the East African Rift System, **102**, 445
Fainberg, E.B., Kuvshinov, A.V., Singer, B.Sh. Electromagnetic induction in a spherical earth with non-uniform oceans and continents in electric contact with the underlying medium—I. Theory method and example, **102**, 273
Fainberg, E.B., Kuvshinov, A.V., Singer, B.Sh. Electromagnetic induction in a spherical earth with non-uniform oceans and continents in electric contact with the underlying medium—II. Bimodal global geomagnetic sounding of the lithosphere, **102**, 283
Farra, V. Amplitude computation in heterogeneous media by ray perturbation theory: a finite element approach, **103**, 341
Féraud, G. *see* Ruffet, G.
Ferguson, I.J., Lilley, F.E.M., Filloux, J.H. Geomagnetic induction in the Tasman Sea and electrical conductivity structure beneath the Tasman Seafloor, **102**, 299
Filloux, J.H. *see* Ferguson, I.J.
Fisher, N.I., Hall, P. New statistical methods for directional data—1. Bootstrap comparison of mean directions and the fold test in palaeomagnetism, **101**, 305
Forsberg, R. *see* Schwarz, K.P.
Francheteau, J. *see* Calmant, S.
Frazer, L.N. *see* Mallick, S.
Frohlich, C., Davis, D. Single-link cluster analysis as a method to evaluate spatial and temporal properties of earthquake catalogues, **100**, 19
Fu-Tain, Liu, Hua, Wu, Jian-hua, Liu, Ge, Hu, Qiang, Li, Ke-xin, Qu. 3-D velocity images beneath the Chinese continent and adjacent regions, **101**, 379
Fuchs, K. *see* Gajewski, D.
Fukao, Y. *see* Kumazawa, M.
Fukao, Y. *see* Shibata, N.
Fukao, Y. *see* Suda, N.
Fuller, M. *see* Roberts, N.
Funahara, S. *see* Otofuji, Y.
Furumoto, M. *see* Kumazawa, M.

Gable, R. *see* Tabbagh, A.
Gagnepain, J. *see* Suárez, G.
Gajewski, D., Stangl, R., Fuchs, K., Sandmeier, K.J. A new constraint on the composition of the topmost continental mantle—anomalously different depth increases of *P* and *S* velocity, **103**, 497
Gallart, J. *see* Pujades, L.G.
Gaur, V.K. *see* Ramesh, D.S.
Ge, Hu *see* Fu-Tian, Liu
Geissman, J.W., Brown, L., Turrin, B.D., McFadden, L.D., Harlan, S.S. Brunhes chron excursion/polarity episode recorded during the late Pleistocene, Albuquerque Volcanoes, New Mexico, USA (Geissman, J.W., Brown, L., Turrin, B.D., McFadden, L.D., Harlan, S.S.), **102**, 73
Geller, R.J., Hara, T., Tsuboi, S. On the equivalence of two methods for computing partial derivatives of seismic waveforms, **100**, 155
Geller, R.J., Hara, T., Tsuboi, S. On the equivalence of two methods for computing partial derivatives of seismic waveforms—II. Laterally homogeneous initial model, **102**, 499
Gibson, G. *see* Bowman, J.R.
Gobarenko, V.S., Nikolova, S.B., Sokolova, S.J. Velocity structure of the western Mediterranean from inversion of *P*-wave traveltimes, **101**, 557
Gogna, M.L. *see* Sharma, M.D.
Gordon, R.G. *see* DeMets, C.
Görür, N. *see* Saribudak, M.
Goyal, H.K., von Frese, R.R.B., Hinze, W.J., Rayat, D.N. Statistical prediction of satellite magnetic anomalies, **102**, 101
Greenhalgh, S.A., Mason, I.M., Lucas, E., Pant, D., Eames, R.T. Controlled direction reception filtering of *P*- and *S*-waves in τ–p space, **100**, 221
Gubbins, D. *see* Lloyd, D.
Gubbins, D. *see* Proctor, M.
Gubler, E. *see* Reilly, W.I.
Gudmundsson, O., Davies, J.H., Clayton, R.W. Stochastic analysis of global traveltime data: mantle heterogeneity and random errors in the ISC data, **102**, 25

Haggerty, S.E., Hargraves, R.B., Tompkins, L.A. Oxide mineralogy and magnetic properties of Koidu kimberlite complex, Sierra Leone, west Africa, **100**, 275
Haines, A.J. *see* Kennett, B.L.N.
Hall, P. *see* Fisher, N.I.
Hara, T. *see* Geller, R.J.
Hargraves, R.B. *see* Haggerty, S.E.
Harlan, S.S. *see* Geissman, J.W.
Harper, J.F. Plate dynamics: Caribbean map corrections and hotspot push, **100**, 423
Harrison, J.C. *see* Sato, T.
Hartosukohardjo, S. *see* Wensink, H.
Hatzfeld, D., Pedotti, G., Hatzidimitriou, P., Makropoulos, K. The strain pattern in the western Hellenic arc deduced from a microearthquake survey, **101**, 181
Hatzfeld, D. *see* Suárez, G.
Hatzidimitriou, P. *see* Hatzfeld, D.
Hefty, J., Capitaine, N. The fortnightly and monthly zonal tides in the Earth's rotation from 1962 to 1988, **103**, 219
Helgason, J., Van Wagoner, N.A., Ryall, P.J.C. A study of the palaeomagnetism of subglacial basalts, SW Iceland: a comparison with oceanic crust, **103**, 13
Henry, W.J., Mechie, J., Maguire, P.K.H., Khan, M.A., Prodehl, C., Keller, G.R., Patel, J. A seismic investigation of the Kenya Rift Valley, **100**, 109
Hinze, W.J. *see* Goyal, H.K.
Hirata, N. *see* Iwasaki, T.
Ho-Liu, P. *see* Montagner, J.-P.
Hobbs, R.W. *see* Scheirer, D.S.
Houseman, G. A. Boundary conditions and efficient solution algorithms for the potential function formulation of the 3-D viscous flow equations, **100**, 33
Houseman, G.A. The thermal structure of mantle plumes: axisymmetric or triple-junction?, **102**, 15
Howarth, R.J. Book review, **101**, 493
Hrouda, F., Jelínek,V. Resolution of ferrimagnetic and paramagnetic anisotropies in rocks, using combined low-field and high-field measurements, **103**, 75
Hua, Wu *see* Fu-Tian, Liu
Hudson, J.A. Attenuation due to second-order scattering in material containing cracks, **102**, 485
Hudson, J.A. Overall elastic properties of isotropic materials with arbitrary distribution of circular cracks, **102**, 465
Hudson, J.A. *see* Douglas, A.
Hudson, J.A. *see* Peacock, S.
Huestis, S.P. On the existence of degenerate trade-off curves in Backus–Gilbert theory, **102**, 503
Hutchins, M. *see* Douglas, A.
Hutin, R. *see* Tabbagh, A.

Idnurm, M. Comments on 'A weighted least-squares fit of the Australian apparent polar wander path for the last 100 Myr' by R. J. Musgrave, **102**, 191

Imanishi, Y. *see* Kumazawa, M.
Inoue, Y. *see* Otofuji, Y.
Ionkis, V. *see* Luosto, U.
Iwasaki, T., Hirata, N., Kanazawa, T., Melles, J., Suyehiro, K., Urabe, T., Möller, L., Makris, J., Shimamura, H. Crustal and upper mantle structure in the Ryukyu Island Arc deduced from deep seismic sounding, **102**, 631

Jackson, A. Accounting for crustal magnetization in models of the core magnetic field, **103**, 657
Jackson, J. *see* Taymaz, T.
Jackson, J.A. *see* Ambraseys, N.N.
Jault, D., Le Mouël, J L. Core–mantle boundary shape: constraints inferred from the pressure torque acting between the core and the mantle, **101**, 233
Jelínek, V. *see* Hrouda, F.
Jian-hua, Liu *see* Fu-Tian, Liu
Johnson, E. On the initiation of unidirectional slip, **101**, 125
Johnston, P. *see* Lambeck, K.
Jones, T. *see* Bowman, J.R.

Kagan, Y.Y. Random stress and earthquake statistics: spatial dependence, **102**, 573
Kaila, K.L., Tewari, H.C., Krishna, V.G., Dixit, M.M., Sarkar, D., Reddy, M.S. Deep seismic sounding studies in the north Cambay and Sanchor basins, India, **103**, 621
Kanamori, H. *see* Montagner, J.-P.
Kanazawa, T. *see* Iwasaki, T.
Ke-xin, Qu *see* Fu-Tian, Liu
Keller, G.R. *see* Henry, W.J.
Kennett, B.L.N. Guided wave attenuation in laterally varying media, **100**, 415
Kennett, B.L.N., Koketsu, K., Haines, A.J. Propagation invariants, reflection and transmission in anisotropic, laterally heterogeneous media, **103**, 95
Kennett, B.L.N., Nolet, G. The interaction of the *S*-wavefield with upper mantle heterogeneity, **101**, 751
Kennett, B.L.N. *see* Bostock, M.G.
Kennett, B.L.N. *see* Bowman, J.R.
Kennett, B.L.N. *see* Sambridge, M.S.
Kessler, D., Kosloff, D. Acoustic wave propagation in 2-D cylindrical coordinates, **103**, 577
Khan, M.A. *see* Henry, W.J.
Kim, W., Cormier, V.F. Vicinity ray tracing: an alternative to dynamic ray tracing, **103**, 639
Kind, R. *see* Beißer, M.
Kind, R. *see* Singh, S.K.
King, M.S. *see* Xu, S.
Koketsu, K. *see* Kennett, B.L.N.
Koketsu, K. *see* Yoshida, S.
Korhonen, H., Kosminskaya, I.P., Azbel, I., Sharov, N., Zagorodny, V., Luosto, U. Comparison of crustal structure along DSS profiles in SE Fennoscandia, **103**, 157
Korhonen, H. *see* Luosto, U.
Kormendi, F. *see* Dietrich, M.
Korn, M. A modified energy flux model for lithospheric scattering of teleseismic body waves, **102**, 165
Korvin, G., Boyd, D.M., O'Dowd, R. Fractal characterization of the South Australian gravity station network, **100**, 535
Kosloff, D. *see* Kessler, D.
Kosminskaya, I. *see* Luosto, U.
Kosminskaya, I.P. *see* Korhonen, H.
Kostrov, B.V., Das, S. Book review, **102**, 267
Krishna, V.G. *see* Kaila, K.L.
Krüger, F. *see* Singh, S.K.
Kumazawa, M., Imanishi, Y., Fukao, Y., Furumoto, M., Yamamoto, A. A theory of spectral analysis based on the characteristic property of a linear dynamic system, **101**, 613
Kuvshinov, A.V. *see* Fainberg, E.B.

Lambeck, K., Johnston, P., Nakada, M. Holocene glacial rebound and sea-level change in NW Europe, **103**, 451
Lana, X. *see* Pujades, L.G.
Lander, A.V. *see* Paulssen, H.
Larsen, J. *see* Schultz, A.
Law, L.K. *see* Cheesman, S.J.
Le Mouël, J L. *see* Jault, D.
Lebert, F. *see* Tabbagh, A.
Lee, V.W. Scattering of plane *SH*-waves by a semi-parabolic cylindrical canyon in an elastic half-space, **100**, 79
Levshin, A.L. *see* Paulssen, H.
Liard, J. Laboratory method of detecting and measuring circular errors in LaCoste and Romberg model-D gravity meters, **103**, 685
Liddicoat, J.C. Aborted reversal of the palaeomagnetic field in the Brunhes Normal Chron in east–central California, **102**, 747
Liddicoat, J.C. Tectonic rotation of the Santa Ynez Range, California, recorded in the Sespe Formation, **102**, 739
Ligdas, C.N., Main, I.G., Adams, R.D. 3-D structure of the lithosphere in the Aegean region, **102**, 219
Lili, X. *see* Tianyu, Z.
Lilley, F.E.M. *see* Ferguson, I.J.
Lindner, K. *see* Müller, G.
Lister, C.R.B., Sclater, J.G., Davis, E.E., Villinger, H., Nagihara, S. Heat flow maintained in ocean basins of great age: investigations in the north-equatorial West Pacific, **102**, 603
Lloyd, D., Gubbins, D. Toroidal fluid motion at the top of the Earth's core, **100**, 455
Lock, J. *see* McElhinny, M.W.
Lognonné, P., Romanowicz, B. Modelling of coupled normal modes of the Earth: the spectral method, **102**, 365
Lomnitz, C. Mexico 1985: the case for gravity waves, **102**, 569
Lucas, E. *see* Greenhalgh, S.A.
Luosto, U. *see* Korhonen, H.
Luosto, U., Tiira, T., Korhonen, H., Azbel, I., Burmin, V., Buyanov, A., Kosminskaya, I., Ionkis, V., Sharov, N. Crust and upper mantle structure along the DSS Baltic profile in SE Finland, **101**, 89

McElhinny, M.W., Lock, J. IAGA global palaeomagnetic database, **101**, 763
McElhinny, M.W. *see* McFadden, P.L.
McFadden, L.D. *see* Geissman, J.W.
McFadden, P.L. A new fold test for palaeomagnetic studies, **103**, 163
McFadden, P.L., McElhinny, M.W. Classification of the reversal test in palaeomagnetism, **103**, 725
Maguire, P.K.H. *see* Henry, W.J.
Maia, M., Diament, M., Recq, M. Isostatic response of the lithosphere beneath the Mozambique Ridge (SW Indian Ocean) and geodynamic implications, **100**, 337
Main, I.G. Quasi-static modelling of stress histories during the earthquake cycle: precursory seismic and aseismic stress release, **102**, 195
Main, I.G. *see* Ligdas, C.N.
Mainprice, D., Casey, M. The calculated seismic properties of quartz mylonites with typical fabrics: relationship to kinematics and temperature, **103**, 599
Makris, J. *see* Iwasaki, T.
Makropoulos, K. *see* Hatzfeld, K.
Mallick, S., Frazer, L.N. *Po/So* Synthetics for a variety of oceanic models and their implications for the structure of the oceanic lithosphere, **100**, 235
Mandal, B., Toksöz, M.N. Computation of complete waveforms in general anisotropic media — results from an explosion source in an anisotropic medium, **103**, 33
Mao, W.J. Loading tides on a stratified viscoelastic self-gravitating half-space, **102**, 537
Martin, J.P. *see* Tabbagh, A.
Mason, I.M. *see* Greenhalgh, S.A.
Masters, G. *see* Shearer, P.
Mauffret, A. *see* Whitmarsh, R.B.
Mechie, J. *see* Henry, W.J.
Melles, J. *see* Iwasaki, T.
Mena, E. *see* Singh, S.K.
Mendez, A.J., Olson, A.H., Anderson, J.G. A norm minimization criterion for the inversion of earthquake ground motion, **102**, 287
Michler, G. *see* Werner, J.
Miles, P.R. *see* Whitmarsh, R.B.
Mitchell, B.J., Bungum, H., Chan, W.W., Mitchell, P.B. Seismicity and present-day tectonics of the Svalbard region, **102**, 139
Mitchell, B.J. *see* Xie, J.
Mitchell, P.B. *see* Mitchell, B.J.

Mochizuki, E. Comments on 'Thomson–Haskell matrix method for free spheroidal elastic oscillations' by Z. Martinec, **101**, 487
Mochizuki, E. Simple formulae for path and amplitude anomalies of anisotropic surface waves, **102**, 263
Möller, L. *see* Iwasaki, T.
Molnar, P. *see* Chang, T.
Molnar, P. *see* Suárez, G.
Montagner, J.-P., Ho-Liu, P., Kanamori, H. Reply to comment by J. Trampert, **103**, 757
Montagner, J.P. *see* Roult, G.
Mori, A. *see* Singh, S.K.
Moritz, H. The inverse Vening Meinesz problem in isostasy, **102**, 733
Müller, G., Zürn, W., Lindner, K., Rösch, N. Search for non-Newtonian gravitation—a gravimetric experiment in a hydroelectric lake, **101**, 329
Murata, F. *see* Otofuji, Y.
Murthy, G.S. *see* Storetvedt, K.M.
Mussett, A.E. *see* Dagley, P.

Nagihara, S. *see* Lister C.R.B.
Nakada, M. *see* Lambeck, K.
Newman, W.I., Turcotte, D.L. Cascade model for fluvial geomorphology, **100**, 433
Nielsen, S.B., Balling, N., Christiansen, H.S. Formation temperatures determined from stochastic inversion of borehole observations, **101**, 581
Nikolova, S.B. *see* Gobarenko, V.S.
Noel, M., Batt, C.M. A method for correcting geographically separated remanence directions for the purpose of archaeomagnetic dating, **102**, 753
Nolet, G. *see* Kennett, B.L.N.
Nolet, G., Snieder, R. Solving large linear inverse problems by projection, **103**, 565
Nyblade, A.A. *see* Shive, P.N.

Ockendon, H. *see* Turcotte, D.L.
Ockendon, J.R. *see* Turcotte, D.L.
Ocola, L. *see* Suárez, G.
O'Dowd, R. *see* Korvin, G.
O'Dowd, R.J. Ill-conditioning and pre-whitening in seismic deconvolution, **101**, 489
Olesen, O. *see* Torsvik, T.H.
Olson, A.H. *see* Mendez, A.J.
Oskam, D. Sea surface variability in the North Sea as derived from *Seasat* altimetry, **100**, 1
Otofuji, Y., Inoue, Y., Funahara, S., Murata, F., Zheng, X. Palaeomagnetic study of eastern Tibet—deformation of the Three Rivers region, **103**, 85

Pagès, G. *see* Tabbagh, A.
Pagiatakis, S.D. The response of a realistic earth to ocean tide loading, **103**, 541
Palmer, H.C. *see* Vandall, T.A.
Pant, D. *see* Greenhalgh, S.A.
Panza, G.F. *see* Vaccari, F.
Park, J. The subspace projection method for constructing coupled-mode synthetic seismograms, **101**, 111
Patel, J. *see* Henry, W.J.
Paulson, K.V. *see* Yee, E.
Paulssen, H., Levshin, A.L., Lander, A.V., Snieder, R. Time- and frequency-dependent polarization analysis: anomalous surface wave observations in Iberia, **103**, 483
Pavlis, N.K., Rapp, R.H. The development of an isostatic gravitational model to degree 360 and its use in global gravity modelling, **100**, 369
Payo, G., Badal, J., Canas, J.A., Corchete, V., Pujades, L., Serön, F.J. Seismic attenuation in Iberia using the coda-Q method, **103**, 135
Payo, G. *see* Badal, J.
Peacock, S., Hudson, J.A. Seismic properties of rocks with distributions of small cracks, **102**, 471
Pedotti, G. *see* Hatzfeld, D.
Perroud, H. *see* Ruffet, G.
Pilkington, M., Todoeschuck, J.P. Stochastic inversion for scaling geology, **102**, 205
Pinheiro, L.M. *see* Whitmarsh, R.B.
Piper, J.D.A., Poppleton, T.J. A palaeomagnetic study of the Basal Gneiss Region and Jotun Nappe Complex, Central–Southern Scandinavian Caledonides, **101**, 591
Pocachard, F. *see* Tabbagh, A.
Pollitz, F.F. Correction of normal mode frequencies and amplitudes for the effect of spheroidal–toroidal coupling, **102**, 341
Pollitz, F.F. Recovery of aspherical earth structure from observations of normal mode amplitudes, **102**, 313
Poppleton, T.J. *see* Piper, J.D.A.
Pous, J. *see* Pujades, L.G.
Pozzi, J.P. *see* Tabbagh, A.
Prange, M., Toksöz, M.N. Perturbation approximation of 3-D seismic scattering, **101**, 713
Proctor, M., Gubbins, D. Analysis of geomagnetic directional data **100**, 69
Prodehl, C. *see* Henry, W.J. .
Puigví, M.A. *see* Pujades, L.G.
Pujades, L. *see* Badal, J.
Pujades, L. *see* Payo, G.
Pujades, L.G., Canas, J.A., Egozcue, J.J., Puigví, M.A., Gallart, J., Lana, X., Pous, J., Casas, A. Coda-Q distribution in the Iberian Peninsula, **100**, 285

Qiang, Li *see* Fu-Tian, Liu
Quareni, F. Finite element deformation of an elastic, non-uniform medium produced by a dilating or pressurized magma chamber, **101**, 243

Rai, S.S. *see* Ramesh, D.S.
Ramesh, D.S., Rai, S.S., Srinagesh, D., Gaur, V.K. Seismological evidence for a decoupled lithospheric segment in south Indian shield, **102**, 113
Ranalli, G. *see* Fadaie, K.
Rapp, R.H. *see* Pavlis, N.K.
Rayat, D.N. *see* Goyal, H.K.
Recq, M. *see* Maia, M.
Reddy, M.S. *see* Kaila, K.L.
Reilly, W.I., Gubler, E. Crustal strain in Switzerland 1870–1970, **103**, 251
Richards, M.A., Wicks, C.W. S–P conversion from the transition zone beneath Tonga and the nature of the 670 km discontinuity, **101**, 1
Richardson, L. *see* Douglas, A.
Roberts, N., Fuller, M. Similarity of new palaeomagnetic data from the Santa Rosa Mountains with those from Steens Mountain gives wide regional evidence for a two-stage process of geomagnetic field reversal, **100**, 521
Roberts, N., Shaw, J. Secondary magnetizations cast doubt on exceptional palaeointensity values from the Lousetown Creek Lavas of Nevada, USA, **101**, 251
Roberts, R.G., Christoffersson, A. Decomposition of complex single-station three-component seismograms, **103**, 55
Rochester, M.G. *see* Wu, W.J.
Roecker, S.W. *see* Suárez, G.
Rolf, C. *see* Soffel, H.C.
Romanowicz, B. *see* Lognonné, P.
Romanowicz, B. *see* Roult, G.
Rösch, N. *see* Müller, G.
Rosser, W.G.V., Schlapp, D.M. Geomagnetic lunar variations due to the ocean dynamo measured at European observatories, **103**, 257
Roth, F. Subsurface deformations in a layered elastic half-space, **103**, 147
Roult, G., Romanowicz, B., Montagner, J.P. 3-D upper mantle shear velocity and attenuation from fundamental mode free oscillation data, **101**, 61
Ruffet, G., Perroud, H., Fëraud, G. $^{40}Ar/^{39}Ar$ dating of a Late Proterozoic palaeomagnetic pole for the Armorican Massif (France), **102**, 397
Ruud, B.O. Teleseismic epicentre locations from arrival times at regional networks, **100**, 515
Ryall, P.J.C. *see* Helgason, J.
Ryan, P.D. *see* Torsvik, T.H.
Rydelek, P.A., Sacks, I.S. Asthenospheric viscosity and stress diffusion: a mechanism to explain correlated earthquakes and surface deformations in NE Japan, **100**, 39

Sacks, I.S. *see* Rydelek, P.A.
Sambridge, M.S., Kennett, B.L.N. Boundary value ray tracing in a heterogeneous medium: a simple and versatile algorithm, **101**, 157
Sambridge, M.S. Non-linear arrival time inversion: constraining velocity anomalies by seeking smooth models in 3-D, **102**, 653
Sandmeier, K.J. *see* Gajewski, D.
Sanver, M. *see* Sarıbudak, M.
Saradeth, S. *see* Soffel, H.C.
Sarıbudak, M., Sanver, M., Sengör, A.M.C., Görür, N. Palaeomagnetic evidence for substantial rotation of the Almacık flake within the North Anatolian fault zone, NW Turkey, **102**, 563
Sarkar, D. *see* Kaila, K.L.
Sato, K. *see* Smylie, D.E.
Sato, T., Harrison, J.C. Local effects on tidal strain measurements at Esashi, Japan, **102**, 513
Sayers, C.M. The crystal structure of iron in the Earth's inner core, **103**, 285
Scheirer, D.S., Hobbs, R.W. Seismic attenuation in the continental crust SW of England, **103**, 533
Schlapp, D.M. *see* Rosser, W.G.V.
Schlapp, D.M., Sellek, R., Butcher, E.C. Studies of worldwide secular trends in the solar daily geomagnetic variation, **100**, 469
Schröder, W. Book review, **101**, 767
Schult, A. *see* Werner, J.
Schultz, A., Larsen, J. On the electrical conductivity of the mid-mantle: II. Delineation of heterogeneity by application of extremal inverse solutions, **101**, 565
Schurr, K. *see* Soffel, H.C.
Schwarz, K.P., Sideris, M.G., Forsberg, R. The use of FFT techniques in physical geodesy, **100**, 485
Sclater, J.G. *see* Lister, C.R.B.
Sellek, R. *see* Schlapp, D.M.
Sena, A.G. *see* Ben-Menahem, A.
Sengör, A.M.C. *see* Sarıbudak, M.
Serón, F.J. *see* Badal, J.
Seron, F.J. *see* Payo, G.
Seymour, B.R. *see* Yedlin, M.J.
Shankland, T.J., Duba, A.G. Standard electrical conductivity of isotropic, homogeneous olivine in the temperature range 1200° – 1500°C, **103**, 25
Shaoying, He, Shiwei, Sun, Tongchun, Xu. The measurement of magnetic fabric of rocks using an astatic magnetometer, **103**, 569
Shapira, A. Increasing seismicity as an earthquake precursor in Israel, **101**, 203
Sharma, M.D., Gogna, M.L. Propagation of elastic waves in a cylindrical bore in a liquid-saturated porous solid, **103**, 47
Sharov, N. *see* Korhonen, H.
Sharov, N. *see* Luosto, U.
Shaw, J. *see* Roberts, N.
Shearer, P., Masters, G. The density and shear velocity contrast at the inner core boundary, **102**, 491
Shibata, N., Suda, N., Fukao, Y. The matrix element for a transversely isotropic earth model, **100**, 315
Shimamura, H. *see* Iwasaki, T.
Shive, P.N., Nyblade, A.A., Wittke, J.H. Magnetic properties of some carbonatites from Tanzania, East Africa, **103**, 103
Shiwei, Sun. *see* Shaoying, He.
Sideris, M.G. *see* Schwarz, K.P.
Singer, B.Sh. *see* Fainberg, E.B.
Singh, S.K., Mori, A., Mena, E., Krüger, F., Kind, R. Evidence for anomalous body-wave radiation between 0.3 and 0.7 Hz from the 1985 September 19 Michoacan, Mexico earthquake , **101**, 37
Skelhorn, R.R. *see* Dagley, P.
Smethurst, M.A. Palaeomagnetism of the Kvamshesten and Hornelen Old Red Sandstone Basins, western Norway, **102**, 585
Smith, E.G.C. *see* Darby, D.J.
Smylie, D.E, Szeto, A.M.K., Sato, K. Elastic boundary conditions in long-period core oscillations, **100**, 183
Snieder, R. A perturbative analysis of non-linear inversion, **101**, 545
Snieder, R. *see* Nolet, G.
Snieder, R. *see* Paulssen, H.
Soffel, H.C., Saradeth, S., Briden, J.C., Bachtadse, V., Rolf, C. The Sabaloka ring complex revisited: palaeomagnetism and rockmagnetism, **102**, 411
Soffel, H.C., Schurr, K. Magnetic refraction studied on two experimental kilns, **102**, 551
Sokolova, S.J. *see* Gobarenko, V.S.
Srinagesh, D. *see* Ramesh, D.S.
Stangl, R. *see* Gajewski, D.
Stein, S. *see* DeMets, C.
Stenzel, K.-J. *see* Wenzel, F.
Stock, J. *see* Chang, T.
Storetvedt, K.M., Tveit, E., Deutsch, E.R., Murthy, G.S. Multicomponent magnetizations in the Foyers Old Red Sandstone (northern Scotland) and their bearing on lateral displacements along the Great Glen Fault, **102**, 151
Suárez, G., Gagnepain, J., Cisternas, A., Hatzfeld, D., Molnar, P., Ocola, L., Roecker, S.W., Viode, J.P. Tectonic deformation of the Andes and the configuration of the subducted slab in central Peru: results from a microseismic experiment, **103**, 1
Suda, N., Fukao, Y. Structure of the inner core inferred from observations of seismic core modes, **103**, 403
Suda, N. *see* Shibata, N.
Suhadolc, P. *see* Vaccari, F.
Suyehiro, K. *see* Iwasaki, T.
Szeto, A.M.K. *see* Smylie, D.E.

Tabbagh, A., Pozzi, J.P., Alvarez, F., Pocachard, J., Martin, J.P., Pagès, G., Gable, R., Lebert, F., Hutin, R. Magnetic field and susceptibility logging in GPF3 borehole at Couy (France) between 0 and 3500m, **101**, 81
Takemoto, S. Laser holographic measurements of tidal deformation of a tunnel, **100**, 101
Tanguy, J.-C. Abnormal shallow palaeomagnetic inclinations from the 1950 and 1972 lava flows, Hawaii, **103**, 281
Tanimoto, T. Long-wavelength *S*-wave velocity structure throughout the mantle, **100**, 327
Tanimoto, T. Modelling curved surface wave paths: membrane surface wave synthetics, **102**, 89
Taymaz, T., Jackson, J., Westaway, R. Earthquake mechanisms in the Hellenic Trench near Crete, **102**, 695
Tewari, H.C. *see* Kaila, K.L.
Thomson, C.J. Corrections for critical rays in 2-D seismic modelling, **103**, 171
Thomson, G.F. The anomalous demagnetization of pyrrhotite, **103**, 425
Tianyu, Z., Zhenxing, Y., Lili, X. A semi-empirical approach for predicting strong ground motion, **100**, 9
Tiira, T. *see* Luosto, U.
Tinti, S., Ugolini, S. Pre-selection of seismic rays as a possible method to improve the inverse problem solution, **102**, 45
Todoeschuck, J.P. *see* Pilkington, M.
Toksöz, M.N. *see* Mandal, B.
Toksöz, M.N. *see* Prange, M.
Tompkins, L.A. *see* Haggerty, S.E.
Tongchun, Xu. *see* Shaoying, He.
Torsvik, T.H., Olesen, O., Ryan, P.D., Trench, A. On the palaeogeography of Baltica during the Palaeozoic: new palaeomagnetic data from the Scandinavian Caledonides, **103**, 261
Trampert, J. Comment on 'Comparison of iterative back-projection inversion and generalized inversion without blocks: case studies in attenuation tomography' by P. Ho-Liu, J.-P. Montagner and H. Kanamori, **103**, 755
Trench, A. *see* Torsvik, T.H.
Tromp, D, Dahlen, F.A. Summation of the Born series for the normal modes of the Earth, **100**, 527
Tromp, J., Dahlen, F.A. Free oscillations of a spherical anelastic earth, **103**, 707
Trupin, A., Wahr, J. Spectroscopic analysis of global tide gauge sea level data, **100**, 441
Tsuboi, S. *see* Geller, R.J.
Tsuboi, S. *see* Geller,R.J.
Tsvankin, I.D., Chesnokov, E.M. Synthetic waveforms and polarizations at the free surface of an anisotropic half-space, **101**, 497
Turcotte, D.L., Ockendon, H., Ockendon, J.R., Cowley, S.J. A mathematical model of vulcanian eruptions, **103**, 211
Turcotte, D.L. *see* Newman, W.I.
Turrin, B.D. *see* Geissman, J.W.

Tveit, E. *see* Storetvedt, K.M.

Ugolini, S. *see* Tinti, S.
Urabe, T. *see* Iwasaki, T.

Vaccari, F., Suhadolc, P., Panza, G.F. Irpinia, Italy, 1980 earthquake: waveform modelling of strong motion data, **101**, 631
Van Wagoner, N.A. *see* Helgason, J.
Vandall, T.A., Palmer, H.C. Canadian Cordilleran displacement: palaeomagnetic results from the Early Jurassic Hazelton Group, Terrane I, British Columbia, Canada, **103**, 609
Vasco, D.W. Seismic source representation in orthogonal functions, **102**, 531
Vere-Jones, D. *see* Bebbington, M.
Verweij, M.D., de Hoop, A.T. Determination of seismic wavefields in arbitrarily continuously layered media using the modified Cagniard method, **103**, 731
Villinger, H. *see* Clauser, C.
Villinger, H. *see* Lister, C.R.B.
Viode, J.P. *see* Suárez, G.
von Frese, R.R.B. *see* Goyal, H.K.

Wahr, J. Correction and update to 'The earth's C21 and S21 gravity coefficients and the rotation of the core', **101**, 709
Wahr, J. *see* Trupin, A.
Ward, S.N. *see* Barrientos, S.E.
Weber, M., Davis, J.P. Evidence of a laterally variable lower mantle structure from *P*- and *S*-waves, **102**, 231
Weber, M. Subduction zones—their influence on traveltimes and amplitudes of *P*-waves, **101**, 529
Wensink, H., Hartosukohardjo, S. The palaeomagnetism of Late Permian–Early Triassic and Late Triassic deposits on Timor: an Australian origin, **101**, 315
Wenzel, F., Stenzel, K.-J, Zimmermann, U. Wave propagation in laterally heterogeneous layered media, **103**, 675
Werner, J., Michler, G., Schult, A. Geomagnetic secular variations 0–2700 yr BP recorded by lake sediments from Waginger See (southeastern Bavaria), **101**, 479
Westaway, R. *see* Taymaz, T.
Whaler, K.A. A steady velocity field at the top of the Earth's core in the frozen-flux approximation—errata and further comments, **102**, 507
White, D.J., Clowes, R.M. Shallow crustal structure beneath the Juan de Fuca Ridge from 2-D seismic refraction tomography,**100**.349
White, R.S. *see* Collier, J.S.
Whitmarsh, R.B., Miles, P.R., Mauffret, A. The ocean–continent boundary off the western continental margin of Iberia—I. Crustal structure at 40o30'N, **103**, 509
Whitmarsh, R.B., Miles, P.R., Pinheiro, L.M. The seismic velocity structure of some NE Atlantic continental rise sediments; a lithification index, **101**, 367
Wicks, C.W. *see* Richards, M.A.
Wiens, D.A. *see* Young, J.B.
Wilhelm, H. A new approach to the borehole temperature relaxation method, **103**, 469
Willett, S.D. Stochastic inversion of thermal data in a sedimentary basin: resolving spatial variability, **103**, 321
Williamson, P.R. Tomographic inversion in reflection seismology, **100**, 255
Wittke, J.H. *see* Shive, P.N.
Worm, H.-U., Banerjee, S.K. Evidence for TRM domain wall moments?, **102**, 359
Wu, P. Deformation of internal boundaries in a viscoelastic earth and topographic coupling between the mantle and core, **101**, 213
Wu, W.J., Rochester, M.G. Core dynamics: the two-potential description and a new variational principle, **103**, 697
Wyss, M. *see* Beißer, M.

Xie, J., Mitchell, B.J. A back-projection method for imaging large-scale lateral variations of *Lg* coda *Q* with application to continental Africa, **100**, 161
Xie, J., Mitchell, B.J. Attenuation of multiphase surface waves in the Basin and Range province, part I: *Lg* and *Lg* coda, **102**, 121
Xu, S., King, M.S. Attenuation of elastic waves in a cracked solid, **101**, 169

Yamamoto, A. *see* Kumazawa, M.
Yanovskaya, T.B., Ditmar, P.G. Smoothness criteria in surface wave tomography, **102**, 63
Yedlin, M.J., Seymour, B.R., Zelt, B.C. Comparison of the WKBJ and truncated asymptotic methods for an acoustic medium, **101**, 49
Yee, E., Paulson, K.V. Reply to the 'Comments on: Concerning dispersion relations for the magnetotelluric impedance censor' by G.D. Egbert, **102**, 9
Yoshida, S., Koketsu, K. Simultaneous inversion of waveform and geodetic data for the rupture process of the 1984 Naganoken–Seibu, Japan, earthquake, **103**, 355
Young, J.B., Wiens, D.A. A further proposal for additional regions for the Flinn–Engdahl Regionalization Scheme, **103**, 759

Zagorodny, V. *see* Korhonen, H.
Zelt, B.C. *see* Yedlin, M.J.
Zheng, X. *see* Bebbington, M.
Zheng, X. *see* Otofuji, Y.
Zhenxing, Y. *see* Tianyu, Z.
Zhou, H.-w. Observations on earthquake stress axes and seismic morphology of deep slabs, **103**, 377
Zimmermann, U. *see* Wenzel, F.
Zioutas, G. *see* Asteriadis, G.
Zürn, W. *see* Müller, G.